



WEST TEXAS FIRE & INDUSTRIAL SUPPLY
(325) 655-5441



SAFETY

Winter 2014

466543B ► **Bracket, Extra HD Truck Mount 30lb Extinguisher, 466543B - ea**
Extra Heavy Duty truck bracket for 20lb pressurized fire extinguisher or Badger 30lb Cartridge (Also available 10lb)



15HB ► **Bracket, HD Truck Mount 20lb Extinguisher, 15HB - ea**
Heavy Duty truck bracket for 20lb pressurized fire extinguisher (Also available for 5lb & 10lb)



862A ► **Bracket, Heavy Duty Rubber Strap 10lb Extinguisher, Amerex 862 - ea**
Heavy Duty Rubber Strap Bracket for Extinguishers with 4.25" - 6.25" Cylinder Diameter. Fits B500 & B456. (Also available for 2 1/2lb, 5lb & 20lb)



10610 ► **Fire Extinguisher ABC 10lb - Amerex B456**
Amerex 10 lb Fire Extinguisher utilizes a special fluidized and siliconized mono ammonium phosphate dry chemical. Amerex Part Number: B456. Amerex 10 lb Fire Extinguisher chemically insulates Class A fires by melting at approximately 350° F. and clings to the surface to which it is applied, smothers and breaks the chain reaction of Class B fires and is a non-conductor of electricity back to the operator. Amerex 10 lb Fire Extinguisher features rugged construction - easy and less costly maintenance and service.



10595 ► **Fire Extinguisher ABC 2.5lb - Amerex B417T**
Amerex 2.5 lb Fire Extinguisher utilizes a special fluidized and siliconized mono ammonium phosphate dry chemical. Amerex Part Number: B417T. Amerex 2.5 lb Fire Extinguisher chemically insulates Class A fires by melting at approximately 350° F. and clings to the surface to which it is applied, smothers and breaks the chain reaction of Class B fires and is a non-conductor of electricity back to the operator. Amerex 2.5 lb Fire Extinguisher features rugged construction - easy and less costly maintenance and service.



10614 ► **Fire Extinguisher ABC 20lb - Amerex A411**
Amerex 20 lb Fire Extinguisher utilizes a special fluidized and siliconized mono ammonium phosphate dry chemical. Amerex Part Number: A411. Amerex 20 lb Fire Extinguisher chemically insulates Class A fires by melting at approximately 350° F. and clings to the surface to which it is applied, smothers and breaks the chain reaction of Class B fires and is a non-conductor of electricity back to the operator. Amerex 20 lb Fire Extinguisher features rugged construction - easy and less costly maintenance and service.



IA20G ► Fire Extinguisher ABC 20lb Cartridge - Ansul IA20G

RED LINE cartridge-operated fire extinguishers are the premium firefighting units preferred by safety directors worldwide in high fire-risk industries such as chemical, petro-chemical, oil and gas, mining, aviation, and power generation. Cartridge-operated means increased reliability, on-the-spot recharge, ease of service, and superior firefighting performance.

Typical applications include fuel loading racks, heavy construction sites, dip tanks, oil pumping stations, mining equipment, paint lockers, trucks and buses, fuel storage rooms, production lines and others. Tough, carbon steel shells resist impact, vibration and corrosion; quality components stand up to years of service; and special polyester powder paints provide superior protection against cracking and chipping.



10605 ► Fire Extinguisher ABC 5lb - Amerex B500T

Amerex 5 lb Fire Extinguisher utilizes a special fluidized and siliconized mono ammonium phosphate dry chemical. Amerex Part Number: B500T. Amerex 5 lb Fire Extinguisher chemically insulates Class A fires by melting at approximately 350° F. and clings to the surface to which it is applied, smothers and breaks the chain reaction of Class B fires and is a non-conductor of electricity back to the operator.

Amerex 5 lb Fire Extinguisher features rugged construction - easy and less costly maintenance and service.



429020 ► Fire Extinguisher CleanGuard 5 lb 429020 Ansul FE05

ANSUL® CLEANGUARD hand portable extinguishers contain DuPont FE-36® where the agent must be clean, electrically nonconductive, environment friendly, extremely low in toxicity, and exceptionally effective.

Typical applications... computer centers, data/document storage areas, communications facilities, control rooms, electronics manufacturing, museums, art galleries, laboratories, and many others.



330 ► Fire Extinguisher CO2 10lb BC - Amerex 330

Co2 Extinguishers are effective for Class B and C fires and are electrically non-conductive. Carbon Dioxide is discharged as a white cloud of "snow" which smothers a fire by eliminating oxygen. Carbon Dioxide (Co2) is a clean, non-contaminating, odorless gas.

Carbon Dioxide extinguishers include all metal valve construction as well as rust free aluminum cylinders - 30% lighter than steel cylinders. Meets many hospital medical equipment requirements.

For the following types of fires:

Class B: Flammable liquids and gases - gasoline, oils, paint, lacquer and tar

Class C: Fires involving live electrical electrical equipment



332 ► Fire Extinguisher CO2 20lb BC - Amerex 332

This Fire Extinguisher CO2 is effective for Class B and C fires and are electrically non-conductive. Carbon Dioxide (CO2) is discharged as a white cloud of "snow" which smothers a fire by eliminating oxygen. CO2 is a clean, non-contaminating, odorless gas.

Carbon Dioxide Extinguishers include all metal valve construction as well as rust free aluminum cylinders - 30% lighter than steel cylinders. Meets many hospital medical equipment requirements.

For the following types of fires:

Class B: Flammable liquids and gases - gasoline, oils, paint, lacquer and tar

Class C: Fires involving live electrical equipment

•U/L Rating: 10B:C

•20 lb. B and C Extinguisher

•Manufactured and Tested to ANSI/UL Standards



800001 ► Fire Extinguisher CO2 5lb BC - Amerex 322

Carbon Dioxide Fire Extinguishers are effective for Class B and C fires and are electrically non-conductive. Carbon Dioxide is discharged as a white could of "snow" which smothers a fire by eliminating oxygen. Carbon Dioxide (Co2) is a clean, non-contaminating, odorless gas.

Co2 extinguishers include all metal valve construction as well as rust free aluminum cylinders - up to 30% lighter than steel cylinders. Meets many hospital medical equipment requirements.



10682 ► Fire Extinguisher K-Guard 6L Wet Chemical - Amerex B260

This Kitchen Fire Extinguisher is the best restaurant kitchen appliance hand portable fire extinguisher you can purchase. It is UL listed specifically for restaurant kitchen hazards. Kitchen Fire Extinguishers are excellent for use on all cooking appliances including solid fuel charbroilers.

These fire extinguishers contain a special potassium acetate based, low PH agent. The fire fighting capability of the wet chemical agent is placed exactly where you aim it with no chemical residue to clean up. Features a nozzle grip design with 45° angle for easy application, a polished stainless cylinder.

For the following types of fires: Class K - Fires in cooking appliances that involve combustible cooking media

- UL Rating: 2A:K
- 6 liters Class K Extinguisher
- Nozzle grip design with 45° angle for easy "overhead" application



240 ► Fire Extinguisher Water 2.5gal - Amerex 240

This Water Fire Extinguisher features a 50 second discharge time which is effective for use on Class A Fires. This extinguisher utilizes the cooling, soaking and penetrating effect of a 45-55 ft. stream of water. Constructed of a polished stainless steel cylinder with an all metal valve. Water Fire Extinguishers won't leave a powder residue after use and are extremely easy to use.

For the following types of fires: Class A - Ordinary Combustibles: wood, paper, rubber, fabrics and many plastics.

- UL Rating: 2A
- 2.5 Gallon Class A Extinguisher
- Polished stainless steel cylinders with wall brackets



A108 ► Sign, Aluminum Fire Extinguisher, 4 x 12 arrow down, A108 - ea

• Silk screened, then oven baked for added durability, with smooth, finished edges, rounded corners and pre-drilled mounting holes • Ideal for mounting on porous surfaces, such as concrete block or brick • States: "FIRE EXTINGUISHER" • White sign w/Red lettering • Size: 4" x 12" • Material: Aluminum



A109 ► Sign, Aluminum Fire Extinguisher, 4 x 18 Arrow Down, A109 - ea

• Silk screened, then oven baked for added durability, with smooth, finished edges, rounded corners and pre-drilled mounting holes • Ideal for mounting on porous surfaces, such as concrete block or brick • States: "FIRE EXTINGUISHER" • White sign w/Red lettering • Size: 4" x 18" • Material: Aluminum



A114 ► Sign, Aluminum Fire Extinguisher, 8 x12 Arrow Down, A114 - ea

• Silk screened, then oven baked for added durability, with smooth, finished edges, rounded corners and pre-drilled mounting holes • Ideal for mounting on porous surfaces, such as concrete block or brick • States: "FIRE EXTINGUISHER" • White sign w/Red lettering • Size: 8" x 12" • Material: Aluminum



BL105 ► Sign, Self Adhesive Fire Extinguisher Inside, 4 x 4, BL105 - ea

• Self-Adhesive VINYL SIGNS are silk screened with UV inks, then clear laminated for durability and fade resistance.

Mounting surface must be clean, dry, smooth and nonporous. To mount these on a porous surface, such as brick or concrete block, use our Sign On aerosol adhesive • States: "FIRE EXTINGUISHER INSIDE" • White letters on a red background • Size: 4" x 4" • Material: Vinyl



280-F500 ► **Faceshield Fibre-Metal Headgear/Frame w/Ratchet (Faceshield window not included), F500 - ea**

Fibre-Metal® Roughneck™ Faceshield Headgear w/Ratchet F500

The Fibre-Metal® F500 Faceshield Headgear with ratchet adjustment has broader, deeper 7" crown protector and wide wraparound window which provides an extra margin of protection when harsh working conditions require it.

Made from Noryl®, the same material used in Fibre-Metal® welding helmets, High Performance faceshields are stronger, more durable and more heat resistant than ordinary faceshields. They contain Fibre-Metal's® exclusive Channel Grip System, which mounts windows and locks them in place in a deep recessed channel to form a perfect seal from dust, dirt and debris.

• Fits Fibre-Metal® 4178 series faceshield windows (Not Included).



454-10116628 ► **Faceshield Flip Up Frame for MSA V-Gard® Full Brim Hard Hat (Faceshield window not included) - ea**

This frame works with any MSA slotted or non-slotted helmet and features our unique sloped design to help material slide off the frame and out of site. Can be used with earmuffs, half-mask respirators and other personal protective equipment. Stays securely on the cap, thanks to the heavy-duty, flat, rubber strap. The elevated temperature model withstands temps up to 350°F (176°C).



280-4199CL ► **Faceshield Window, fits F500 Fibre-Metal Frame - ea**

Preformed to the curve of the crown. Injection molded from propionate which is superior to other window materials in every significant performance characteristic. Style: Extended View. Lens Tint: Clear. Material: Propionate. Thickness: 0.06". Used With: F500. Dimensions: 9-3/4" H x 19" W.



454-10117782 ► **Faceshield Window, fits MSA Flip Up Frame - ea**

Durable polycarbonate visors offer superior protection from flying debris, splash, or spray. Engineered wider than other visors, ours provide improved resistance when it matters most. All V-Gard visors for general purpose can be worn with Cap-mounted ear muffs

OK-5057009 ► **Hard Hat Shade, Hi-Viz Lime Mesh - ea**

Mesh Shade Provides Air Flow, Shade And Visibility

- Fits Regular And Full Brim Hard Hats
- Extra Fabric Length Allows Wearer To Tuck The Mesh Fabric Inside Of A Shirt Collar
- 5/8" Silver Beaded Reflective Tape Over 2" Orange Contrast Fabric At Bottom Of Fabric



971 ► **Hard Hat Sun Shade and Sweat Band Hi Viz Yellow - ea**

• 100% Cotton shade at back of neck facilitates perspiration evaporation • Soft Terry Cloth sweatband at forehead • Can be worn alone or under hat



454-697410 ► **Hard Hat Sun Shade for MSA Full Brim Hard Hat, MSA 697410 - ea**

Lens Tint: Smoke

Material: Polyurethane

Used With: Standard V-Gard Hats



969-FR ► **Hard Hat Sun Shade with Miracool Blue - ea [pkg/10]**

Miracool® Hard Hat Pad With Shade • Added neck shade facilitates evaporation. • Fastens with Hook & loop • 6 oz. grey flame resistant Arc rated treated cotton 50 washes



899 ► **Hard Hat Sun Shade, Cotton Fits Most Hard Hats Including Full Brim - ea**

• Fits most hard hats including full brim • Shade at back of neck facilitates perspiration evaporation • Cotton with wire spring around rim



870 ► **Hard Hat Sweat Band, Terry Toppers Snap-On - ea[pkg/20]**

• #1 Selling terry sweatband • Easily attaches to hard hat suspension with snaps



138-19500 ► **Hard Hat Western Style White**

Hard Hat Western Style White. Available in Black & White



454-475371 ► **MSA Full Brim Hard Hat - Red - with Ratchet Suspension - ea [cs/20]**

V-Gard® Protective Hats are part of the same family of products and accessories recognized as the best-selling in North America. Polyethylene shell and self-adjusting crown straps provide comfortable, lightweight protection. ANSI/ISEA Z89.1-2009 (Class E, Type I) CSA Z94.1-2005* (Class E, Type I) when assembled with MSA Fas-Trac® Suspension. Available in White, Blue, Green, Red, Grey, Yellow & Hi-Viz Orange



19994 ► **MSA V-Gard Hard Hat (cap) - Red - with Ratchet Suspension - ea [cs/20]**

V-Gard® Protective Hats are part of the same family of products and accessories recognized as the best-selling in North America. Polyethylene shell and self-adjusting crown straps provide comfortable, lightweight protection. ANSI/ISEA Z89.1-2009 (Class E, Type I) CSA Z94.1-2005* (Class E, Type I) when assembled with MSA Fas-Trac® Suspension. Available in White, Blue, Green, Red, Grey, Yellow & Hi-Viz Orange



LK910NFR ► **Premium Flame Resistant Nomex® Full Face Tube Liner - ea**

Comfortable with maximum stretch

- 8.75 oz. Nomex® Yarn
- Meets ASTM F1506
- Arc Rating: ATPV = 7.8 cal/cm²
- NFPA 70E / HRC = 1
- Fits snugly over most regular brim hard hats
- FR for the life of the garment



LP690 ► **Zero Hood Classic Flame Resistant Mid-Length, Blue - ea**

- Outer: 100% FR-treated Cotton
- Liner: Modacrylic jersey
- Thread made of Nomex® IIIA brand fiber
- Meets ASTM F1506
- ATPV=21 cal/cm²;
- NFPA 70E/HRC=2
- Flame resistant through 50 washings



LZ620FR ► **Zero Hood Premium Flame Resistant Shoulder-Length Two-Way, Navy - ea**

- Upper Cap: Cotton FR Treated / Modacrylic Lining: ATPV = 21 cal/cm²; (HRC=2)
- Lower: Modacrylic Soft Rib Knit 18.0 oz.: ATPV = 28.6 cal/cm²; (HRC=3)
- Nomex® Zipper
- Nomex® Thread
- Meets ASTM F1506
- Flame resistant through 50 washings



8155 ► **Spill Containment Container, Ultra-Cab Mount Container - ea**

Store Pop Up Pools Behind The Cab — Out Of The Way, But Ready For Any Emergency

- Durable, all-polyethylene construction will resist harsh weather effects.
- Cover is lockable for security purposes.
- Store Pop Up Pools outside of the cab, preserving valuable interior space for other necessities.
- Note: Only Ultra-Pop Up Pool Economy Models will fit into Cab Mount Containers.



258-1632 ► **Spill Containment Pallet, 2 Drum Eagle - ea**

Spill Pallets help meet spill containment regulations for up to four drums. High visibility yellow color. Helps comply with SPCC, EPA and UFC spill containment requirements.

SPILL CAPACITY: 30 gallons

WEIGHT: 32 lbs.

DIMENSIONS: 26.25" w x 51.5" d x 6.5" h

LOAD CAPACITY: 5,000 lbs



258-1647 ► **Spill Containment Pallet, 4 Drum - ea**

Spill Pallets help meet spill containment regulations for up to four drums. High visibility yellow color. Helps comply with SPCC, EPA and UFC spill containment requirements.

SPILL CAPACITY: 66 gallons

WEIGHT: 64 lbs.

DIMENSIONS: 103.5" x 26.25" x 6.5"

LOAD CAPACITY: 8,000 lbs



8020 ► **Spill Containment Pool, 20 Gallon Sprung Steel Pop-up - ea**

Pop Up Pools Instantly Expand to Capture Leaks From Saddle Tanks, Pipes, Hydraulic Lines And Many Other Industrial Incidents.

- Ultra-Pop Up Pools are available in 400, 250, 150, 100, 66 and 20 gallon sizes. Choose Sprung Steel or Economy Models† to meet your needs. Simply remove them from their protective carrying case and give them a quick shake — they instantly expand and are ready for response to any emergency.
 - Unique, Patented Design — foam ring rises with level of liquid to raise sidewalls.
 - Compact folded size — stores efficiently inside spill kits; handles on storage bag* can also be used to hang on a wall near shipping/receiving docks.
 - Excellent chemical resistance, including diesel fuel, antifreeze, acids, caustics and corrosives.
 - Helps minimize environmental damage and related clean-up costs.
 - Excellent for response to damaged saddle tanks and cross-over lines, hazmat spills, leaking containers, machinery and piping.
 - Other applications include use as a decontamination pool and collection pool for soiled sorbents
- Available in 20gal, 66gal, 100gal & 150gal sizes



8260 ► **Spill Containment Pool, Ultra 8' x 8' x 20" - ea**

Meet New Agricultural Spill Containment Regulations with Ultra-Containment Berms

Meet New Agricultural Spill Containment Regulations with Ultra-Containment Berms. The Agriculture Model Containment Berms use current design (Rapid Rise and Economy Models) but with an increased sidewall height in order to meet the 750 gallon containment requirement.

- Provide spill containment for pesticides and meet EPA requirements.
- Designed to meet 750-gallon capacity requirement for a "pad" as outlined in 40 CFR 165.85.
- Taller sidewalls allow for more containment capacity without increasing footprint.
- Available in Economy Model or Rapid-Rise Model.
- Available in 798 & 810 gallon sizes, plus Custom Sizes are available.



210147 ► **Spill Kit 5 Gallon w/ Tote Bag SKA-PP [cs/5]**

The Universal Economy Portable Spill Kit comes in a highly visible yellow PVC bag and is "just right" for small spills of oil based materials. This kit is the right price, the right size and the right value. Absorbs up to 5 gallons per kit!

Contents:

- (10) - 15" x 19" Pads
- (2) - 3" x 4' SOCs
- (1) - Pair Nitrile Gloves
- (1) - Disposal Bag
- (1) - Instruction Sheet



84-6532 ► **Glove B/C Split Cowhide Pink/Green Back - pair [cs/10 doz]**

Mens B/C grade cowhide split cowhide leather, wing thumb, 3 finger tips, knuckle strap, cotton lined palm, green & pink striped fabric back, match 2.75 inch rubberized safety cuff with cotton binding.

- Copper series leather palm gloves are constructed of "B/C" grade split cowhide.
- Leather knucklestrap and finger tips for extra protection.
- Elastic closure sewn inside glove for safety and comfort
- Cotton lined palm for extra comfort.



1JC28013-OLD ► **Glove Cotton Canvas Double Palm 18 oz. Boss - doz [cs/12 doz]**

Double Palm 2 Ply Cotton Glove. 18 Ounce 2 Ply Quilted Double Palm for Durability. Nap Out Construction for Longer Wear. Knit Wrist Seals Out Dirt and Debris. Clute Cut Design



92-918PCO ► **Glove Cotton Orange Canvas Double Palm 18oz. - doz [cs/20dz]**

Fabric Work Gloves » Fabric Gloves
18 oz., Polycord Double Palm, Nap-In, Knitwrist, Hi-Vis Orange



95-808 ► **Glove Cotton/Polyester (Jersey Knit), Clute Pattern, Knitwrist, Regular Weight, Brown - doz [cs/25 doz]**

Fabric Work Gloves » Fabric Gloves
Brown, Cotton Polyester Blend, Clute Pattern, Knitwrist, Regular Weight



35-C104/L ► **Glove Cotton/Polyester (Knit), 7 Gauge, Standard Weight, Natural Color - Large - doz [cs/25 doz]**

Seamless Glove No Coat » Seamless Knit for General Duty
Cotton/Polyester, 7 Gauge, Standard Weight, Natural Color



36-110VV/L ► **Glove Cotton/Polyester (Knit), Heavy Weight Shell, Double Side VV Pattern - Large - doz [cs/25 doz]**

Seamless Glove Coated » Seamless Knits for General Duty
Heavy Weight Shell, Double Side VV Pattern



39-C122L ► **Glove Cotton/Polyester (Knit), Latex Coated Palm and Fingers, Regular Grade, Blue Latex - Large - doz [cs/25 doz]**

Seamless Glove Coated » Latex Coated Seamless Knits
Cotton/Polyester, Latex Coated Palm and Fingers, Regular Grade, Blue Latex



35-C510/L ► **Glove Cotton/Polyester (Knit), 7 Gauge, Extra Heavy Weight, Natural Color - Large - doz [cs/25 doz]**

Seamless Glove No Coat » Seamless Knit for General Duty
Cotton/Polyester, 7 Gauge, Extra Heavy Weight, Natural Color
Small & Large



39-C1300/L ► **Glove G-Tek® Force, Cotton/Polyester, Blue Latex Crinkle Grip, Premium Grade, Coated Palm, Thumb and Fingers - Large - pair [cs/6 doz]**

Seamless Glove Coated » Latex Coated Seamless Knits
G-Tek® Force, Cotton/Polyester, Blue Latex Crinkle Grip, Premium Grade, Coated Palm, Thumb and Fingers



CHMECHG-XL ► Glove Impact Arma Tough Poly/Cotton Accordion Style Green - X-Large - Pair

- Poly/cotton corded double palm
- Accordion style
- Extra firm EVA foam padded back
- TPR “thermoplastic elastomer” strips on back of fingers and thumb
- Orange spandex back
- Reflective knuckle strip
- Neoprene cuff with velcro closure
- Loop to hang gloves
- S-XXL

APPLICATIONS

The Arma Tuff Glove provides medium impact protection and high dexterity for heavy manufacturing environments.
Med - XXXLarge



CHMECHO-L ► Glove Impact Arma Tough Poly/Cotton Accordion Style Orange - Large - pair

- Poly/cotton corded double palm
- Accordion style
- Extra firm EVA foam padded back
- TPR “thermoplastic elastomer” strips on back of fingers and thumb
- Orange spandex back
- Reflective knuckle strip
- Neoprene cuff with velcro closure
- Loop to hang gloves
- S-XXL

APPLICATIONS

The Arma Tuff Glove provides medium impact protection and high dexterity for heavy manufacturing environments.
Med - XXXLarge



MX1185/9 ► Glove Impact Mechanic Joker MX Series - Size 9 - pair

Hi-Vis orange polyester shell for comfort & breathability. TPR reinforced for impact resistance on back of hand. Black sandy nitrile palm for grip and excellent durability. Reinforced palm padding for added protection. Reinforced thumb crotch for extra wear. High visibility orange color. Form fitting for excellent dexterity. Applications: Oil/Gas Drilling, Hydraulic Fracturing, and Construction. Sizes: 7-11. Sold by the pair.



MX1135/9 ► Glove Impact Mechanic Joker MX1135, Cut Level 5 - Size 9 - pair

HPPE blended fiber shell for excellent cut resistance providing Cut Level 5. TPR reinforced for impact resistance on back of hand. Black sandy nitrile palm for grip and excellent durability. Reinforced palm padding for added protection. Reinforced thumb crotch for extra wear. High visibility orange color. Form fitting for excellent dexterity. Applications: Oil/Gas Drilling, Hydraulic Fracturing, and Construction. Sizes: 7-11. Sold by the pair.



XP0020BL ► Glove Impact Mud Dog Triple Dipped PVC - Large - pair

- “Mud Dawg™”
- Invert mud glove
- Triple dip
- Blue PVC
- 12?
- Chemical resistant
- Textured palm
- Winter & summer liners

APPLICATIONS

The Mud Dawg™ glove features Sarco impact protection to help prevent crushing injuries. It is designed for use in oil rig environments when drilling and excavating soil that contains shale and petrochemicals. It is triple PVC dipped to protect against moisture and offers maximum protection.
Large & XLarge



62-327PF/XL ► Glove Latex Extra Thick Powder Free 13 Mil - XLarge - box [cs/10 box]

Disposable Gloves » Disposable Liquid-Proof Gloves
Heavy Weight Latex, Medical Grade, 12-inch Length, Powder-Free, Blue



34-874/L ► Glove MaxiFlex® Ultimate by ATG®, Black Micro-Foam Coated Palm and Finger Tips, Gray Nylon Liner with Lycra® - Large - doz [cs/12]

SeamlessGlove Coated » MaxiFlex™ Seamless Knits by ATG®
MaxiFlex® Ultimate by ATG®, Black Micro-Foam Coated Palm and Finger Tips, Gray Nylon Liner with Lycra®
Med - XLarge



63-332PF/L ► Glove Nitrile Ambi-Dex Textured Power Free - Large - box/100 [cs/10]

Disposable Gloves » Disposable Liquid-Proof Gloves
Nitrile, Industrial Grade, Textured Grip, 4 mil., Powder-Free
S - XXL



63-732PF/XL ► Glove Nitrile Black Powder Free - XLarge - box/100 [cs/10doz]

Disposable Gloves » Disposable Liquid-Proof Gloves
Nitrile, Industrial Grade, Textured Grip, 4 mil., Black, Powder-Free
S - XL



63-338PF/XL ► Glove Nitrile Blue 8 mil Powder Free - XLarge - box/50 [cs/20 bx]

Disposable Gloves » Disposable Liquid-Proof Gloves
Nitrile, Industrial Grade, Textured Grip, 8 mil., Powder-Free, 50 Gloves per Box



150-SK-00 ► Glove Novax Electrical 500 Volt includes Rubber Glove, Goat Skin Glove and Carrying Bag - ea

Electrical Safety » ESP Kits » Novax 11-inch Glove Kit
NOVAX Class 00 Kit, 1 pair ESP Gloves-Black (150-00-11), 1 pair Goatskin Protectors (148-1000), 11-inch Nylon Glove Bag (148-2136)



58-7304 ► Glove Orange Procoat PVC Insulated - pair [cs/10 dz]

Hand Protection » Chemical Resistant » Coated Supported Gloves
Smooth Coated - Foam Insulated, PVC Dipped, Gauntlet



58-8040R ► Glove PVC Black (PIP) 58-8040R - pair [cs/6 doz]

Hand Protection » Chemical Resistant » Coated Supported Gloves
ProCoat®, Interlock Lined, PVC Dipped, Black, 14-inch Length Semi-Rough Finish



68-163XL ► Glove Top Grain Cowhide Drivers, Regular Grade, Keystone Thumb - XLarge - pair [cs/10 doz]

Leather Drivers » Unlined Leather Driver's Gloves
Top Grain Cowhide Drivers, Regular Grade, Keystone Thumb
Med - XXL



68-161SB/L ► Glove Top Grain Cowhide Drivers, Regular Grade, Split Cowhide Back, Grain Palm, Keystone Thumb - Large - pair [cs/10 doz]

Top Grain Cowhide Drivers, Regular Grade, Split Cowhide Back, Grain Palm, Keystone Thumb
Large & Xlarge



77-265/XL ► Glove Top Grain Cowhide Drivers, White Thermal Lining, Regular Grade, Keystone Thumb - XLarge - pair [cs/6doz]

Protection From Cold » Insulated Driver's Gloves
White Thermal Lining, Regular Grade, Keystone Thumb



White Thermal Lining

3020 ► CPR Kit Soft Pak [cs/12] Pac-Kit

Kit Contains: #21-700 1ea. CPR Mask (EMT Grade), Gloves, Wipes #21-700B 1ea. EMS Grade CPR Mask #K12018 2ea. Bzk. Chloride Antiseptic Towelettes #K21026 1 pair Nitrile Exam Gloves #K2105 1ea. Aluminized Rescue Blanket #K12018 6ea. Bzk. Chloride Antiseptic Towelettes #K21026 1 pair Nitrile Exam Gloves #K7052424 1ea. Biohazard Bag



5001 ► First Aid Kit 10 Unit, Pac-Kit w/Logo - ea [cs/12]

Case Dimensions: 4.5" x 7.5" x 2.75"

Color-coded boxes: Bandages- yellow, Burn treatment- red, BBP/EMS- orange, Antiseptics- blue, Miscellaneous- green
Cellophane over wrap with a tear strip. FDA required labeling for lot numbers, expiration dates and "Drug Facts"



5201 ► First Aid Kit 16 Unit, Pac-Kit w/Logo - ea [cs/12]

Case Dimensions: 6.5" x 9.5" x 2.75"

Color-coded boxes: Bandages- yellow, Burn treatment- red, BBP/EMS- orange, Antiseptics- blue, Miscellaneous- green
Cellophane over wrap with a tear strip. FDA required labeling for lot numbers, expiration dates and "Drug Facts"



5301 ► First Aid Kit 24 Unit, Pac-Kit w/Logo - ea [cs/6]

Case Dimensions: 9 1/2 in x 9 1/2 in x 2 3/4 in Weatherproof Steel

Includes :

Adhesive Strips 1 x 3 in, Fabric X-Large Adhesive Strips, Fabric Knuckle Bandages, Fabric Fingertip Bandages, Hema-Flex® X-Lg. Bandage Compress w/Gloves, Gauze Pads, 3 in, Sterile Triangular Bandage, Eye Flush (1 oz.), Pads, Strips, Adhesive Tape. 1/2 in, Antiseptic Towelettes, First Aid/Burn Cream Packs, Hydrocortisone Cream Packs, Tecnu® Oak'N'Ivy Packs, 1/2 oz., Sting Relief Wipes, Cold Pack, Nitrile Exam Gloves



6135 ► First Aid Kit, 2 Shelf Industrial, Pac-Kit w/Logo - ea [cs/4]

Case Dimensions: 10.25" x 15" x 5", rugged steel with wall mounting slots and a carrying handle

Contains all "required" items from ANSI Z308.1-2009 as well as many "recommended" items

Includes:

100 - 3/4" x 3" Plastic Adhesive Strips, 100 - 1" x 3" Adhesive Strips, 6 - Light Woven Extra Large Strips, 8 - Light Woven Knuckle Bandages, 10 - Light Woven Fingertip Bandages, 10 - 3" Gauze Pads, 1 - Hema-Seal Trauma Dressing, 1 - 2" Sterile Gauze Bandages, 1 - 4" Sterile Gauze Bandages, 1 - 1" x 5 yd. Adhesive Tape, 1 - Triangular Bandages, 100 - Alcohol Antiseptic Wipes, 12 - First Aid/Burn Cream Packs, 12 - Triple Antibiotic Ointment Packets
10 - BZK Antiseptic Wipes, 1 - 4 oz. Eyewash, Sterile Eye Cup, Pads, Strips, 1 - 4 oz. Burn Spray, 50 - Extra Strength Non-Aspirin Tablets, 1 - Large Instant Cold Packs, 1 - 4" Elastic Bandages, 10 - Exam Gloves, 1 - Scissors, 1 - Forceps, 1 - First Aid Guide



6155 ► First Aid Kit, 3 Shelf Industrial, Pac-Kit w/Logo - ea

Case Dimensions: 13.5" x 16.5" x 6", rugged steel with wall mounting slots and a carrying handle

Contains all "required" items from ANSI Z308.1-2009 and many from the "recommended" list as well

Includes:

50 - 1" x 3" Heavy Woven Fabric Strips, 10 - Heavy Woven Extra Large Strips, 25 - Heavy Woven Knuckle Bandages, 25 - Heavy Woven Fingertip Bandages, 1 - 2" Sterile Gauze Bandages, 1 - 4" Sterile Gauze Bandages, 10 - 2" Gauze Pads, 10 - 3" Gauze Pads, 10 - 4" Gauze Pads, 1 - Hema-Seal Trauma Dressing, 2 - 2" Tri-Cut Adhesive Tape, 2 - Triangular Bandages, 100 - Alcohol Antiseptic Wipes, 25 - Antiseptic Towelettes, 25 - First Aid/Burn Cream Packs, 25 - Triple Antibiotic Ointment Packets, 1 - 4 oz. Eyewash, Sterile Eye Cup, Pads, Strips, 1 - 4 oz. Burn Spray, 1 - 4 oz. Antiseptic Spray, 50 - Extra Strength Non-Aspirin Tablets, 100 - Cotton Tip Applicators, 1 - Large Instant Cold Packs, 1 - 4" Elastic Bandages, 10 - Exam Gloves, 1 - Scissors, 1 - Forceps, 1 - First Aid Guide



6175 ► First Aid Kit, 4 Shelf Industrial, Pac-Kit w/Logo - ea

Case Dimensions: 14.5" x 21.5" x 6", rugged steel case with wall mounting slots and a carrying handle

Contains all "required" items from ANSI Z308.1-2009 as well as many from the "recommended" list.

Includes:

50 - 1" x 3" Heavy Woven Fabric Strips, 25 - Heavy Woven Extra Large Strips, 25 - Heavy Woven Knuckle Bandages, 25 - Heavy Woven Fingertip Bandages, 10 - 2" Gauze Pads, 10 - 3" Gauze Pads, 10 - 4" Gauze Pads, 1 - Hema-Seal Trauma Dressing, 1 - 2" Tri-cut Adhesive Tape, 2 - 2" Sterile Gauze Bandages, 2 - 4" Sterile Gauze Bandages, 2 - Triangular Bandages, 100 - Alcohol Antiseptic Wipes, 25 - BZK Antiseptic Wipes, 25 - First Aid/Burn Cream Packs, 25 - Triple Antibiotic Ointment Packets, 1 - 4 oz. Eyewash, Sterile Eye Cup, Pads, Strips, 1 - 4 oz. Burn Spray, 1 - 4 oz. Antiseptic Spray, 50 - Aspirin, 50 - Extra Strength Non-Aspirin Tablets, 100 - Nasal Decongestant Tablets, 50 - Ibuprofen, 50 - Antacid, 100 - Cotton Tip Applicators, 2 - Large Instant Cold Packs, 1 - 4" Elastic Bandages, 10 - Exam Gloves, 1 - Scissors, 1 - Forceps, 1 - First Aid Guide



BL157 ► Sign, "First Aid Kit Inside", Green on White, 4 x 4 Pressure Sensitive - ea

- Durable and fade resistant vinyl sign
- States: "FIRST AID KIT INSIDE"
- Green letters on white background
- Size: 4" x 4"



454-10061272 ► **Earmuff, MSA Attaches to MSA Hard Hat 27db - ea**

Cap-Mounted Ear Muff, Noise Reduction Rating NRR 27dB, Gray/Black/Dielectric Yes, For Use With Hard Hats, Features Three Wearing Positions, Standards ANSI S3.19-1974



95134 ► **Earmuff, Sound Hearing Protection Three Position-Di-electric, 95134 - ea [bx/10]**

SoundDecision is the economical response to limited hearing protection budgets • Standard style provides mid-level hearing protection. • Fully adjustable, three-position, di-electric earmuff features a padded headband. • Lightweight design at just 8.7 ounces,- providing long-wearing comfort. • Independently tested to a 25 Noise Reduction Rating.



90480 ► **Earmuff, Three Position Di-Electric, Red and Black, 95234 - ea [cs/10]**

One of the most effective, independently tested earmuffs available, SoundOut offers powerful protection. • Three-position, adjustable length and di-electric design provides extraordinary versatility. • Soft, extra-large cushions distribute pressure around the entire head for maximum comfort. • Attractive red and black style appeals to workers. • Independently tested to a 28 Noise Reduction Rating



93012 ► **Earplug Twister Corded 3 Flange, 93012 - ea [BX\100]**

A long-wearing, reusable earplug solution, Twisters will benefit your bottom line. • Triple-flanged design with an air bubble tip provides long-term comfort. • Soft, silicone material is easy to clean. • Radiant purple plugs, with bright orange cord option, make compliance checks problem-free. • Independently tested to a 25 Noise Reduction Rating



CAS391-1004 ► **Earplugs EAR 3M Neons refill bottle - bottle/500 [cs/4]**

NRR 33dB-Highest NRR available

THE WORLDS SOFTEST EARPLUGS

Self-adjusting foam provides low pressure with excellent attenuation

Tapered shape allows for less pressure in the ear canal

Dermatological safe foam is non-irritating to the skin



247-320-2001 ► **Earplugs EAR Caboflex Model 600 - ea [bx/10]**

NRR 20dB

Conically-shaped plugs provide a comfortable fit for any sized person

Washable and reusable for durability and economy in demanding environments

Dermatologically safe plugs are non-irritating

Band helps prevent loss and is ideal for intermittent use.



28020 ► **Earplugs with cord MAX 7943 - box [box/100]**

Workers who need to block out loud noise demand the best protection and comfort available in an earplug. That's where MAX comes in. The world's most popular polyurethane foam earplug, MAX offers superior noise-blocking performance in a single-use disposable earplug. MAX's enhanced contoured shape is easier to insert and resists backing out of the ear canal, while its softer foam delivers superior long-wearing comfort – delivering solid performance that your workers can depend on.



28010 ► **Earplugs without cord MAX 7942 - box [box/200]**

Workers who need to block out loud noise demand the best protection and comfort available in an earplug. That's where MAX comes in. The world's most popular polyurethane foam earplug, MAX offers superior noise-blocking performance in a single-use disposable earplug. MAX's enhanced contoured shape is easier to insert and resists backing out of the ear canal, while its softer foam delivers superior long-wearing comfort – delivering solid performance that your workers can depend on.



D134RB ► **Sign, "Danger Ear Protection Required In This Area", 10 x 14 Rigid Plastic - ea**
OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in & Pressure Sensitive, Rigid Plastic, Aluminum



24-101 ► Eye Wash 16 oz. Bottle -ea [cs/12]

Sterile isotonic buffered solution (net weight 16 fl oz. or 473.2ml) for flushing or irrigating the eyes.



24-201 ► Eye Wash 32 oz. Bottle - ea [cs/12]

Bottle of sterile isotonic buffered solution (net weight 32 fl oz. or .94 l) for flushing or irrigating the eyes.



7-006 ► Eye Wash Bottle 4 oz. Pac-Kit [cs/48]

Bottle of sterile isotonic buffered solution (net weight 4 fl oz. or 120 ml) for flushing or irrigating the eyes.



24-102 ► Eye Wash Station Twin 16 oz. Pac-Kit [cs/6]

Station Dimensions: 13.5" x 16.5" x 3.75"

Contains:

#24-101 2ea. Bottles of sterile isotonic buffered solution (net weight 16 fl oz. or 473.2ml each) for flushing or irrigating the eyes on a dual wall mount ready station.



24-300 ► Eye Wash Station Twin 32oz. Pac-Kit [cs/6]

Station Dimensions: 13½" x 6½" x 4"

Contains:

#24-201 2ea. Bottles of sterile isotonic buffered solution (net weight 32 fl oz. or .94 l) for flushing or irrigating the eyes on a dual wall mount ready station.



7501 ► Eye Wash Station, 9-gallon Capacity Gravity Operated Portable Eyewash Station - ea

Compact portable Model 7501 is ideal for remote locations. Using gravity to supply a continuous flow of clean water to injured personnel for a full 15 minutes at .4gpm, this model is a reliable source for safety. Recognizing the 7501's full patterned flushing feature, those working in remote areas can't help but feel confident with this piece of emergency equipment day after day.



7260B ► Eye Wash Station, Plastic Bowl, 2.5 gal eyewash heads, Wall Mounted 7260B - ea

Model 7260B-7270B wall mounted eye and face wash features the medically acclaimed AXION MSR eye/face wash head assembly (patent pending). This revolutionary inverted flow design is the only product on the market that provides a Medically Superior Response consistent with all EMT, emergency room and doctors' office protocols by sweeping contaminants away from the vulnerable nasal cavity. Traditional eyewashes irrigate from the outside edge of the eye back toward the nose, where contaminants can then be flushed into the nasal cavity through the lacrimal punctum, nature's ocular cavity drain.



•Eyewash streams provide zero vertical velocity stream engineering with even laminar flow for enhanced comfort, stability and effectiveness

•Features a round 11" (27.9 cm) green ABS plastic receptor and aluminum wall bracket for long life

•Includes a mesh in-line strainer to collect line debris, and ball valve with stainless steel ball and stem for durability

•Supply: 1/2" IPS. Waste: 1- 1/4" IPS

90243 ► Eyewash Shower Head Ceiling Mounted with Blue Plastic Shower Head and Stay Open Valve

SentryWash® Horizontal Wall Mounted Stay-Open Valve Safety Station

FEATURES

Delivers 30 GPM at 30 PSI and a spray pattern of 20" diameter at 60" above the floor

10" diameter shower head is available in blue ABS plastic or stainless steel

Stay-open valve options have a 1" IPS chrome plated brass stay-open ball valve.

Valve is US-made with chrome plated brass ball and Teflon Seals.

Furnished with stainless steel actuating arm and 29" stainless steel pull rod

Vertical and Horizontal Mounted Emergency Drench Showers with a Stay Open Valve meet ANSI Z358.1 Standards



90306 ► **Eyewash Station Portable 6 Gallon Sellstrom w/8oz Bacteriostatic Additive**

FEATURES

Unit is ideal for use where a continuous supply of potable water is not available

Self-contained 6 gallon gravity flow eye wash unit uses gravity to deliver water through dual spray heads

Unit has rugged plastic tank that can be installed in a wide variety of locations

Unit is ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, low traffic and/or low hazard areas. Water flow is activated by pulling down on bright yellow eye wash tray.

Integral full flow nozzles deliver soft spray of water.

Waste water is directed into drain opening in tank basin. 3 ft long drain hose in basin directs discharge into floor drain, storage tank, etc

Furnished with epoxy coated steel bracket for mounting unit on wall.

Unit can also be placed on countertop or other flat surface

Bacteriostatic additive, which is supplied with the unit, protects against growth of bacteria, fungus, algae and acanthamoeba



KKE20 ► **Kleen Eyes II emergency eyewash station, For Sink Faucet Connection, KKE20 - ea**

the Kleen Eyes II emergency eyewash station comes loaded with features.

- Adjustable fountain tips are 2" apart.
- Automatic diverter valve allows unit to return to normal operation when water is shut off.
- Connection ring simplifies difficult installations or alignments.



S50AP ► **Sign, "Emergency Eye Wash", 4 x 4 Pressure Sensitive - ea [pkg/5]**

Emergency and First Aid

Quickly alert employees and guests to the location of emergency and life saving equipment



RP176 ► **Sign, "Emergency Eye Wash", 8 x 10 Rigid Plastic - ea**

- Rigid Plastic
- States: "EMERGENCY EYE WASH"
- Size: 8" x 10"



SF181PB ► **Sign, "Safety First Eye Wash Station", 10 x 14 Pressure Sensitive - ea**

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Rigid Plastic, Pressure Sensitive & Aluminum



76473 ► **Fall Protection Oil Rigger's Kit (Harness, Extended D-Ring in Back) in a bag - bag**

Elk River Oil Rigger's Kit. SaddleMaster Harness with four D-rings. 12-inches extended D-ring at center of back for easy attach/detach at shoulder. D-ring at lower back waist. D-rings on saddle with snaps. Mating buckles at chest strap. Tongue Buckles on leg straps. 4-inches backpad at waist and saddle. Carry-all bag.



05000 ► **Fall Protection Roofers Kit (Harness, Lanyard, Roof Anchor) in a bucket - bucket**

Elk River Roofer's kit includes CP+ 48103 one D-ring harness, 5/8-inches by 50-feet CP+ lifeline with attached rope grab and attached 2-foot Zorber web lanyard with Zsnaphook 3600 lbs gate, single-use roof Anchor with fasteners, bucket. Certified ANSI / CSA.



48303 ► **Harness Construction Plus 3 D-Ring, adjusts from Small to X-Large - ea**

Elk River Construction Plus harness. 3 steel D-ring: at back and hip. Parachute mating buckles on chest and leg straps. Lanyard parks. Made of polyester. Use for fall arrest and positioning. Fits small to x-large.



65324 ► **Harness Iron Eagle Polyester/Nylon 3 D-Ring Harness with Tongue Buckles, X-Large - ea**

Elk River Iron Eagle harness have three steel D rings, at back and hips. Made of polyester and nylon. Designed for nonstop comfort. Craftsmanship, care and pride, with a critical eye to worker safety go into every harness. The world-class design and construction creates "top-of-the-line" comfort for all day wear. Parachute mating buckles on chest strap. Tongue buckles on leg straps. Padded shoulders. Lanyard parks. Five inches padded backpad. Removable tool belt. Carry-all bag. Available in Small to XXX-Large



67604 ► **Harness Peregrine Platinum Series 6 D-Ring Harness with Quick-Connect Buckles, X-Large - ea**

Elk River polyester/nylon peregrine platinum series harness. Six D-rings: aluminum 70 degree D-ring at back, and two on hips, two aluminum D-rings on seat strap, one steel D-ring on chest strap. Quick-connect buckles on chest and legs. Breathable padding on back/shoulder, waist, bar seat and leg straps. Pull down adjusters on shoulder straps. Lanyard parks. Fall indicators. Five inch padded backpad with accessory rings. Removable tool belt. Four inch padded seat strap. Three inch aluminum bar in seat. Carry-all bag. Made of polyester and nylon. Use for fall arrest, positioning, suspension, ladder climbing.

!Six D-rings: aluminum 70 degree D-ring at back, and two on hips, two aluminum D-rings on seat strap, one steel D-ring on chest strap

!Quick-connect buckles on chest and legs

!For use fall arrest, positioning, suspension, ladder climbing

Available in Small to XX-Large



098-1113127/L ► **Harness Sala Construction Exofit w/Back and Side D Ring Large - ea**

Duo-Lok: Lightweight one-handed use w/memory-fit

Revolver: Simple and fast adjustment that locks into position

Hybrid Comfort Padding: Marries premium comfort & durability

Tech-Lite Aluminum d-rings: Lightweight alloy adds to comfort

Repel Technology Webbing: Provides up to 5 times more abrasion resistance and water repellency

Available in Small to X-Large



29741 ► **Lanyard 1" x 18" Rebar Nylon Web Assembly with Twin Leg, 2-Zsnaphook and Rebar Hook, 3600 lbs Gate - ea**

Elk River rebar web assembly with twin leg, 2-Zsnaphook and rebar hook. 3600 lbs gate. 2-1/2-inches throat opening. Measures 18-inches length by 1-inches width.



29761 ► **Lanyard 1" x 18" Rebar Nylon Web Assembly with Twin Leg, 2-Zsnaphook and Swivel Zrebar Hook, 3600 lbs Gate - ea**

Elk River rebar web assembly with twin leg, 2-Zsnaphook and swivel Zrebar hook. 3600 lbs gate. Measures 18-inches length by 1-inches width.



29506 ► **Lanyard 1" x 6' CenturionZ Nylon Web Adjustable Positioning Lanyard with Zsnaphook, 3600 lbs Gate - ea**

Elk River Centurionz adjustable positioning lanyard with Zsnaphook. Made of nylon. 3600 lbs gate. Measures 6-feet length by 1-inches width.



26006 ► **Lanyard 1" x 6' Nylon Web Positioning Lanyard with Snaphook - ea**

Elk River Nylon web one leg positioning lanyard. Snaphook on each end. Made in the USA. Measures 6-feet length by 1-inches width.



27226 ► **Lanyard 1" x 6' Zorber Nylon Web Energy Absorbing Lanyard with Snaphook Each End - ea**

Elk River energy absorbing lanyard with snaphook each end. Made of nylon. Measures 6-feet length by 1-inches width.



27236 ► **Lanyard 1" x 6' Zorber Nylon Web Energy Absorbing Lanyard with Twin Leg and Snaphook On All Ends - ea**

Elk River energy absorbing lanyard with twin leg and snaphook on all ends. Made of nylon. Measures 6-feet length by 1-inches width.



36940 ► **Lanyard 1" x 6 Zorber Tie-back Energy-Absorbing Nylon/Polyester Web Lanyards with Zsnaphooks and Sliding D-ring, 3600 lbs Gate - ea**

Elk River Zorber Tie-back energy-absorbing nylon/polyester web lanyards. 3600 lbs gate. The new ANSI Z359.1-2007 Compliant. Connector: zsnaphooks and sliding D-ring. Measures 6-feet length by 1-inches width.



29026 ► **Lanyard 1" x 6" CenturionZ Nylon Web Positioning Lanyard with Zsnaphook Each End, 3600 lbs Gate - ea**

Elk River Centurionz web positioning lanyard with zsnaphook each end. Made of nylon. 3600 lbs gate. Measures 6-feet length by 1-inches width.



36357 ► **Lanyard 1" x 6" CenturionZ Zorber Energy-Absorbing 2 Leg Nylon Web Lanyard with Zsnaphook and Zrebarhook, 3600 lbs Gate - ea**

Elk River Centurionz Series Zorber energy-absorbing 2 leg nylon web lanyard. Connector: zsnaphook and zrebarhook. 3600 lbs gate. The new ANSI Z359.1-2007 Compliant. Measures 6-feet length by 1-inches width.



36356 ► **Lanyard 1" x 6" CenturionZ Zorber Energy-Absorbing Nylon Web Lanyard with Zsnaphook and Zrebarhook, 3600 lbs Gate - ea**
Single Leg Zorber Yellow 1 x 6 3600 lb Gate

Elk River Centurionz Series Zorber energy-absorbing nylon web lanyard. Connector: zsnaphook and zrebarhook. 3600 lbs gate. The new ANSI Z359.1-2007 Compliant. Measures 6-feet length by 1-inches width.



35377 ► **Lanyard 1-1/4 x 4' NoPac Energy Absorbing Polyester Web Lanyard with Zsnaphook & Zrebarhook, 3600 lb gate - ea**

Elk River NoPac energy-absorbing 1 leg polyester web lanyard. Connector: zsnaphook and zrebarhook. 3600 lbs gate. Meets the New ANSI Z359 Standards. Measures 4-feet length by 1-1/4-inches width.



35214 ► **Lanyard 1-1/4 x 4' NoPac Energy Absorbing Polyester Web Lanyard with Zsnaphooks, 3600 lb gate - ea**

*NoPac® Energy-Absorbing Web Lanyards (3.6M Gate)
Polyester Web 1-1/4" X 4' / NoPac® Energy-Absorbing Lanyard, Zsnaphook ea. end*



35379 ► **Lanyard 1-1/4 x 6' NoPac Energy Absorbing Polyester 2 Leg Web Lanyard with Zsnaphook & Zrebarhook, 3600 lb gate - ea**

Elk River NoPac energy-absorbing 2 leg polyester web lanyard. Connector: zsnaphook and zrebarhook. 3600 lbs gate. Meets the New ANSI Z359 Standards. Measures 6-feet length by 1-1/4-inches width.



35378 ► **Lanyard 1-1/4 x 6' NoPac Energy Absorbing Polyester Web Lanyard with Zsnaphook & Zrebarhook, 3600 lb gate - ea**

Elk River NoPac energy-absorbing 1 leg polyester web lanyard. Connector: zsnaphook and zrebarhook. 3600 lbs gate. Meets the New ANSI Z359 Standards. Measures 6-feet length by 1-1/4-inches width.

!The new ANSI Z359.1-2007 Compliant

!Measures 6-feet length by 1-1/4-inches width



35346 ► **Lanyard 1-1/4" x 6' NoPac Energy-Absorbing 2 Leg Polyester Web Lanyard with Zsnaphooks - ea**

Elk River NoPac energy-absorbing 2 leg polyester web lanyard. Connector: zsnaphook and on each leg. Measures 6-feet length by 1-1/4-inches width.



35326 ► **Lanyard 1-1/4" x 6' NoPac Energy-Absorbing Polyester Web Lanyard with Zsnaphooks - ea**

Elk River NoPac energy-absorbing polyester web lanyard. Connector: zsnaphook on each end. Measures 6-feet length by 1-1/4-inches width.



34914 ► **Lanyard 5/8" x 100' Nylon Rope Lifeline with Zsnaphook and Thimble Eye, 3600 lbs Gate - ea**

Elk River lifeline with Zsnaphook and thimble eye. Made of nylon. 3600 lbs gate. Measures 5/8-inches diameter by 100-feet length.



35428 ► **Lanyard Energy Absorbing 1-1/2 x 6 Twin Leg Z snap 3600 lb**

Flex-NoPac® Energy-Absorbing Web Lanyards (3.6M Gate)

Polyester Web 1-1/2" X 6' / Flex-NoPac® Energy-Absorbing Web Lanyard, Twin Leg, Zsnaphook and on ea. leg



28012 ► **Lanyard Rope 1/2" x 2' CenturionZ Nylon Rope Positioning Lanyard with Zsnaphook On Each End, 3600 lbs Gate - ea**

Elk River Centurionz rope positioning lanyard with zsnaphook on each end. Made of nylon. 3600 lbs gate. Measures 2-feet length by 1/2-inches width.



28016 ► **Lanyard Rope 1/2" x 6' CenturionZ Nylon Rope Positioning Lanyard with Zsnaphook On Each End, 3600 lbs Gate - ea**

Elk River Centurionz rope positioning lanyard with zsnaphook on each end. Made of nylon. 3600 lbs gate. Measures 6-feet length by 1/2-inches width.



17426 ► **Lanyard Steel Fall Rated Carabiner with Auto Twist-Lock and Pin, 3600 lbs Gate, 2-1/4" Gate Opening - ea**

Elk River steel carabiner with auto twist-lock and pin. All carabiners are made of high strength materials. All models are self locking and closing for added safety. Carabiners are used to connect lanyards and lifelines to anchorage points. Always check that the gate is secure and locked before use. Fall rated. 1/2-inches x 7-1/2-inches x 4-1/2-inches. 2-1/4-inches gate opening



1202742 ► **Lanyard Tail Rope Life Line 5/8" Rope X 25' - ea**

Sala 5/8" lifeline polyester/polypropylene, snap hook one end, taped other x 25ft.



03194 ► **Miner's Belt, Nylon and Polyester Web Reinforced Miner's Body Work Belt with and 3" Backpad, X-Large - ea**

Elk River work belts are for positioning only. It must be used in combination with a full body harness for fall arrest applications. 3-inches backpad. Available in X-Small to X-Large



03203 ► **Work Belt, Nylon Web Double D Body Work Belt with 3" Pad and 2 D-Rings, Large - ea**

Elk River work belts are for positioning only. It must be used in combination with a full body harness for fall arrest applications. Nylon web double D body work belt with 3-inches pad and 2 D-rings. Available in X-Small to X-Large



LIG0169 ► Emergency Beacon LED Safety Flare Amber - ea

Safety LED Flare Emergency Light with 16 x 5mm LEDs. Features 9 user selectable flashing patterns. Waterproof housing with magnetic base. Available in Red, Blue, and Amber.



LIG0179 ► Emergency Beacon Rechargeable LED Safety Interstate Red - ea

Rechargeable Safety LED Flare Emergency Light with 16 x 5mm LEDs. Features 9 user selectable flashing patterns. Waterproof housing with magnetic base and built-in rechargeable lithium ion battery. Single kit includes usb charger/power cable with cigarette lighter adapter plug, and 100-240VAC charger/power supply. 6-Pack kit includes charger/power cable with cigarette light adapter plug, 100-240VAC charger/power supply. Available in Red, Blue, and Amber.



939-HZ610 ► Emergency Beacon Warning E Flare Amber Flashing/Steady - ea

E-Flare Beacon » E-Flare Beacons
e-Flare Flashing/Steady-on 1-Color, Bright Intensity 8 LED, Amber



3TKD ► Emergency Reflector Triangle Kit w/Case, (3 triangles per case) 3TKD - ea

Reflective Road Hazard Triangle Kit- 3-Piece-3TKD REFLECTOR TRIANGLE KIT as required by FMCSR, section 393.95. Consists of 3 triangles in a plastic storage box.



APF ► Flag Airport 36 x 36 - ea

Heavy duty nylon flag. 36" x 36" Orange & white checkers with hem for staff (not included). Meets requirements for Airport Construction Jobs.



SFKV18-24TR ► Flag Safety Mesh Red w/ 3/4 wood Handle - ea

These Mesh Flags are made of fluorescent knitted vinyl (KV) mesh material. Recommended to be used on fast moving vehicles.

These flags will overcome the objections from "whipping", such as cracking, peeling, or fraying.



BF6 ► Flag Vehicle Triangle 9" x 11" on 1/4" X 6' Fiberglass Pole


9" x 11" on a 1/4" x 6' fiberglass pole with mounting bracket.



WS10HW ► Hardware for WS 10 Windsock - ea

Our frames are constructed of heavy duty wire with sleeve and set collars. Zinc coated for weather protection. Rotate freely with no maintenance required.

Windsock Hardware available for 10" diameter high visibility windsock and 18" diameter high visibility windsocks.



WS10 ► Windsock Airport 10" Throat x 36" Long (Hardware not included) - ea

Our highly visible and durable windsocks are made of Fluorescent vinyl laminated fabric. Used at airports, industrial sites and environmental applications such as oil fields and pipeline sites. Often required by OSHA. Made in the USA.



400-893000 ► **Cabinet Safety Yellow Justrite for Flammables 30 gallon 43 x 18 x 44 1 shelf, 2 Door**

Sure-Grip® EX includes New Exclusive Features to make a workplace Extra safe, Extra Secure.

Protect workers, reduce fire risks, and improve productivity by storing hazardous liquids in high performance Sure-Grip® EX safety cabinets. Designed to meet OSHA and NFPA standards, cabinets are sturdily constructed of all-welded, 18-gauge (1mm), double-walled steel with 1.5" (38mm) of insulating air space for fire resistance. Fail-safe, 3-point self-latching system provides easy, positive door closure. Three durable stainless steel bullet latches offer optimum longevity with increased heat resistance.



For added convenience and safety, only Sure-Grip® EX offers these exclusive features:

U-Loc™ Padlockable Handle (Patent Pending!)

Attractive U-Loc™ padlockable paddle handle with slip resistant grip offers easy fingertip operation and reduces dangerous "catches" from passing traffic. Handle is supplied with two keys and accepts an optional No. 5 Master Lock® padlock for added security. Padlock offers a greater visual deterrent and can be easily keyed different, keyed alike, or master keyed for employee convenience or to limit access to authorized personnel.

Haz-Alert™ Reflective Labeling (Patent Pending!)

When illuminated by a flashlight beam, hazardous warning labels burst with high visibility under fire conditions or power outages. Labels are strategically positioned in high and low zones to help firefighters easily locate volatile liquids.

SpillSlope™ Safety Shelves (Patent Pending!)

Sturdy galvanized steel SpillSlope™ shelves safely direct incidental spills to back and bottom of leak proof sump. Adjustable on 3" (76mm) centers, they meet ANSI standards with a 350 lb. (159 kg.) safe allowable load. Other extras include rounded safety door corners to reduce accidental nicks or cuts, 2" (51mm) leak tight sump, dual vents with flame arresters, four adjustable leveling feet, grounding connector, and hazard warning in three languages. Fully painted inside-and-out with a durable, lead-free hybrid powder paint for chemical resistance, each cabinet is backed by a Ten-Year Warranty.

JR11202Y ► **Fuel Safety Can Funnel, Yellow Poly, Justrite "I'm Easy" - ea**

If you own a Justrite® Type 1 Safety Can for your gas or diesel fuel, you need Justrite's "I'm Easy" Funnel. Its "stay-on" design features a flexible hinge that allows you to fill or pour from the can without removing the funnel. It also saves space during storage. Plus its large, rounded bowl provides splash protection and helps prevent spills.



Features:

- Durable polypropylene material
- Large bowl reduces splashes and spills
- Hinged "stay-on" design
- Dimensions: 11 1/4" x 5"
- Yellow

JR7110100 ► **Fuel Safety Type I Can, Red 1 Gallon, Justrite - ea**

Justrite Flammable Safety Cans are Type I safety containers that are easy to fill, easy to use and the economical choice for flammables.

- Fully Compliant - meets OSHA and NFPA Code 30
- Passes independent rigorous testing - FM approved. Most are UL/ULC listed and all are accepted under CARB.
- Rounded Steel comfort handle doesn't cut into the hand.
- Hi-visibility trilingual warning label.
- Self-closing lid controls vapors and spills
- Full-length, dual-density flame arrester dissipates heat to prevent flashback ignition. Longer length allows easy, secure placement of gas nozzle
- Leak-proof, positive pressure relief cap automatically vents to prevent rupture or explosion.
- Premium 24-gauge coated steel body and handle for maximum durability and chemical resistance.
- Large 1/2" grip lip along bottom helps support pouring.
- Reinforcing ribs strengthen side walls for extra protection.
- Double-lock seams provide four thicknesses of steel to guard against bumps and bangs.
- Durable, high-gloss powder paint finish resists solvents, corrosion and humidity.
- 100% tested to guarantee leak-proof construction.
- Ten Year Warranty.



JR7125100 ► Fuel Safety Type I Can, Red 2 1/2 Gallon, Justrite - ea

Justrite Flammable Safety Cans are Type I safety containers that are easy to fill, easy to use and the economical choice for flammables.

- Fully Compliant - meets OSHA and NFPA Code 30
- Passes independent rigorous testing - FM approved. Most are UL/ULC listed and all are accepted under CARB.
- Rounded Steel comfort handle doesn't cut into the hand.
- Hi-visibility trilingual warning label.
- Self-closing lid controls vapors and spills
- Full-length, dual-density flame arrester dissipates heat to prevent flashback ignition. Longer length allows easy, secure placement of gas nozzle
- Leak-proof, positive pressure relief cap automatically vents to prevent rupture or explosion.
- Premium 24-gauge coated steel body and handle for maximum durability and chemical resistance.
- Large 1/2" grip lip along bottom helps support pouring.
- Reinforcing ribs strengthen side walls for extra protection.
- Double-lock seams provide four thicknesses of steel to guard against bumps and bangs.
- Durable, high-gloss powder paint finish resists solvents, corrosion and humidity.
- 100% tested to guarantee leak-proof construction.
- Ten Year Warranty.



JR7150100 ► Fuel Safety Type I Can, Red 5 gallon, Justrite - ea

Justrite Safety Cans are Type I compliant, easy to fill, easy to use, and the economical choice for flammables.

- Fully Compliant - meets OSHA and NFPA Code 30
- Passes independent rigorous testing - FM approved. Most are UL/ULC listed and all are accepted under CARB.
- Rounded Steel comfort handle doesn't cut into the hand.
- Hi-visibility trilingual warning label.
- Self-closing lid controls vapors and spills
- Full-length, dual-density flame arrester dissipates heat to prevent flashback ignition. Longer length allows easy, secure placement of gas nozzle
- Leak-proof, positive pressure relief cap automatically vents to prevent rupture or explosion.
- Premium 24-gauge coated steel body and handle for maximum durability and chemical resistance.
- Large 1/2" grip lip along bottom helps support pouring.
- Reinforcing ribs strengthen side walls for extra protection.
- Double-lock seams provide four thicknesses of steel to guard against bumps and bangs.
- Durable, high-gloss powder paint finish resists solvents, corrosion and humidity.
- 100% tested to guarantee leak-proof construction.
- Ten Year Warranty



400-7150200 ► Fuel Safety Type I Can, Yellow 5 Gallon Diesel, Justrite - ea

Justrite Safety Cans are Type I compliant, easy to fill, easy to use, and the economical choice for flammables.

- Fully Compliant - meets OSHA and NFPA Code 30
- Passes independent rigorous testing - FM approved. Most are UL/ULC listed and all are accepted under CARB.
- Rounded Steel comfort handle doesn't cut into the hand.
- Hi-visibility trilingual warning label.
- Self-closing lid controls vapors and spills
- Full-length, dual-density flame arrester dissipates heat to prevent flashback ignition. Longer length allows easy, secure placement of gas nozzle
- Leak-proof, positive pressure relief cap automatically vents to prevent rupture or explosion.
- Premium 24-gauge coated steel body and handle for maximum durability and chemical resistance.
- Large 1/2" grip lip along bottom helps support pouring.
- Reinforcing ribs strengthen side walls for extra protection.
- Double-lock seams provide four thicknesses of steel to guard against bumps and bangs.
- Durable, high-gloss powder paint finish resists solvents, corrosion and humidity.
- 100% tested to guarantee leak-proof construction.
- Ten Year Warranty



400-7250120 ► Fuel Safety Type II Can, Red 5 Gallon, with 9" Spout 5/8" OD Hose, Justrite - ea

The Justrite AccuFlow™ Type II safety can goes beyond protection and compliance to provide fast, precision pouring of flammable liquids. Patented, innovative manifold automatically vents for smooth liquid flow. Comfortable Safe-Squeeze® trigger offers maximum control when pouring. A flexible 9in. metal hose ensures targeted pouring into small openings.

- Precision arrester screen stops flashback ignition to reduce fire risks
- Superior chemical resistance
- Excellent corrosion protection
- Made of galvanized steel with a tough powder-paint finish
- Long length for safe insertion of gas nozzle
- Faster liquid flow
- Quick-fill port with ergonomically designed lever handle makes filling easier than ever
- Gasketed, self-closing leakproof opening automatically vents to guard against rupture or explosion
- Warning label with extra-large ID zone permits user to identify contents
- Capacity for mixing in additives for 2-cycle engines
- Easy to identify contents to reduce misuse or incompatible mixtures — Red for gasoline



DDPJR7350130 ► Fuel Safety Type II DOT Can, Red 5 Gallon, Justrite - ea

The JustRite® type II leak-tight, D.O.T-compliant fuel safety can is designed with a fusible link bracket to prevent vapor release and spills during transport. The fusible link melts at 165°F to prevent dangerous pressure buildup at elevated temperatures.

- Hold-down bracket is tethered to the spout
 - Heavy roll bars are built in for added security
 - Acts like a normal safety can when transportation brackets are not in use
 - AccuFlow™ Safe-Squeeze® trigger mechanism combines with large, easy-grip handles to deliver accurate, spill-free pouring
 - Fusible link prevents vapor release and spills during transport
 - Fusible link melts at 165°F to prevent dangerous pressure buildup
 - 5-gal. capacity
 - 5/8in. hose
 - 11 3/4in. dia. x 17 1/2in.H
 - Type II D.O.T. approved
 - 1 fixed handle for easy carrying and pouring
-



JR09300 ► Oil Waste Can, Red 10 Gallon, Justrite - ea

OSHA Compliant Oily Waste Cans are essential whenever solvent soaked cloths and wiping rags are used. Rags and cloths soaked with solvents, thinners, linseed oil, combustible adhesives and other flammable liquids present a serious fire risk when improperly discarded. The specially designed lid opens no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting.



JR09500 ► Oily Waste Can, Red 14 Gallon, Justrite - ea

OSHA Compliant Oily Waste Cans are essential whenever solvent soaked cloths and wiping rags are used. Rags and cloths soaked with solvents, thinners, linseed oil, combustible adhesives and other flammable liquids present a serious fire risk when improperly discarded. The specially designed lid opens no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting.



JR09100 ► Oily Waste Can, Red 6 Gallon, Justrite - ea


OSHA Compliant Oily Waste Cans are essential whenever solvent soaked cloths and wiping rags are used. Rags and cloths soaked with solvents, thinners, linseed oil, combustible adhesives and other flammable liquids present a serious fire risk when improperly discarded. The specially designed lid opens no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting.



CZFCG-BUMP-H2S ► Bump Test Kit for GA24XT-H H2S Monitor

Bump Test Kit for GA24XT-H H2S Monitor

Test Gases are used for qualitative functional testing of sensors and alarms only. Test gases cannot be used as calibration gases.



G86-GA24XT-H ► BW Honeywell Gas Alert Clip Extreme two (2) year H2S Monitor - ea [cs/10]

The GasAlertClip Extreme is a diffusion gas monitor for Hydrogen Sulfide (H2S). Engineered by BW Technologies, it is built to last, constantly sampling the air for its entire 2-year lifespan. As a diffusion detector, the Extreme series has no motorized pump, and as such the battery life gives an incredible two years of trouble-free gas sniffing safety. The unit is extremely small and lightweight, fitting easily into the palm of your hand.



MICRODOCKII ► H2S calibration and bump test docking station. Price includes ONE docking station.

The most cost effective way to manage the calibration and bump testing of BW's portable gas detectors is through the MicroDock II automated test and calibration system. Fully portable and easily expandable, the MicroDock II requires no computer and provides simultaneous management of up to ten modules. Minimize expenses and maximize productivity with the MicroDock II.



GA358L-98-25 ► H2S Calibration Cylinder .25 ppm 58 liter (2cu ft) 500 PSI

H2S Calibration Cylinder .25 ppm 500 PSI



0810 ► Wind Meter Kestrel 1000 0.8 - 89mph

This Kestrel 1000 Pocket Wind Meter offers reliable and accurate wind measurements that you require. Featuring a large, 1" impeller mounted on a sapphire jewel bearing, which means it starts rotating with the slightest puff of air – 0.3 mph to be exact! This unique impeller is user-replaceable, too, which means it can easily be replaced if it is damaged or worn. Switches between mph, km/h, ft/min, m/s, knots and Beaufort quickly and easily. Protective cover with sure-grip overmolding. Data hold function. Large easy-to-read display. Waterproof and floats. Patented user-replaceable impeller. Wide range of wind speeds and low startup speed. Reliable, portable, and easy to use. All instruments and accessories are completely assembled in the USA. Weight: 3.6 oz / 102 g (including slip-on cover). Dimensions: 4.8 x 1.9 x 1.1 in / 12.2 x 4.8 x 2.8 cm (including slip-on cover)

Includes: A slip-on protective cover, neck lanyard, CR2032 coin cell battery (average life 300 hours), and a Kestrel certificate of conformity



625-XL ► **Back Support Belt, X Large - ea**

- 8" Breathable spandex mesh lumbar panel with elastic stretch panel
 - 4 plastic stays
 - Attached suspenders
 - Dual panel hook & loop closure
- Available in X-Small to 3X-Large



940-12 ► **Bandana, MiraCool® Heat Stress Prevention Assorted Colors - ea [pkg/12]**

Cooling Products

Soak MiraCool® In Cold Water For 10-20 Minutes, Stays Hydrated For Several Days. Reusable Thousands Of Times The Original! Also available in FR



PRC202RD ► **Chain Safety Red Polyethylene 2" - LF**

Plastic Chain - Solid 8 mm (.25 inch) thick links. Each plastic chain link measures approximately 2.0 inch in length and is 1 inch wide.



E5712420 ► **Chill-Its® 6602 Evaporative Cooling Towel - ea**

- Advanced PVA material holds water without feeling heavy
- Super-evaporative, feels significantly cooler than ambient air
- Wear for hours, or wipe off for quick relief
- Simply re-wet the towel to reactivate
- Machine washable



029-16414 ► **Cone, Traffic 28" Orange w/Black Base, 3004057 - ea**

• Meets MUTCD standards • Wide body design with rugged black base • Flow molded, dayglow orange PVC (Also available in 12", 18" & 36")



SJ50NPSH ► **Fire Hose 1-1/2" Single Jacket 50' - ea**

- Fully lined
- Pre-folded for 25 pin use
- Lightweight, compact and easy to refold
- Replaces unlined linen hose foot for foot
- UL Labeled rack and reel fire hose is available for an additional fee
- FM Labeled

• NOTE: Not intended for purposes of wash down

Available in 50' and 100', NST & NPSH



15IPT ► **Fire Hose Nozzle 1-1/2" Red Adjustable Fog, Stream, IPT, Shut Off - ea**

High-impact POLYCARBONATE NOZZLES are an economical alternative to the more expensive brass models with the same array of spray patterns – straight stream to fog. Ideal for locations where brass theft is a concern.

• NOTE: Intended for firefighting use only

- Polycarbonate Adjustable Fog/Stream/Shut-Off Nozzle
 - Size: 1 1/2"
 - Thread: NPSH
 - UL Rating: Class A and B Fires Only
- Available in 1", 1 1/2" & 2 1/2"
Available in NST, NST & IPT



954 ► **Head Band MiraCool® Heat Stress Prevention, Navy - ea**

Cooling Products

Soak MiraCool® In Cold Water For 10-20 Minutes, Stays Hydrated For Several Days. Reusable Thousands Of Times The Original!



FRG ► Inspecta Shield Fire Retardant #FRG [gal]

Inspecta-Shield is a versatile, broad spectrum, odorless, colorless, multi-use, penetrating, Class "A" fire retardant. This premixed product is easy to use, non-toxic, and non-allergenic. Inspecta-Shield assures a quality controlled, invisible fire retardant ideally suited for economical commercial treatments of: natural fibers. synthetic fibers, wood and lumber, upholstery, paper, and curtains.

*Average Coverage Rates**

- Cotton & Silks: 600 square feet per gallon
- Nylons, Polyester, Rayons, Olefins, & Blends: 500 square feet per gallon



LLT1 ► Label Lock Out, "Danger Do Not Operate", 6 x 3 Unrippable Vinyl - pkg/25

Laminated Lockout Tag

Laminated tags withstand the harshest dirt and greasy conditions. Made from our unrippable vinyl encased in heavy duty lamination.



SPLITAG16 ► Label Lock Out, "Danger Locked Out Do Not Operate", 6 x 3 Unrippable Vinyl - pkg/10

Lockout Tags

Prevent accidental or unexpected startup or release of stored energy when working on equipment and machinery. Sold 10 per pack.



SL15 ► Lock Out Jaws, Safety 1-1/2 dia. jaws - ea

- Safe, proven method of locking out energy sources
- Aluminum construction
- Scissor type
- Rubber dipped handle
- 1 1/2" jaw opening size
- Accommodates up to six padlocks




LOS4 ► Lock Out Tag Out Kit - ea

- 8"x12" Board w/ contents
- (4) padlocks
- (2) 1" hasps
- (1) 10-pack of tags



ESF-450 ► Safety Fence, Econo 4' x 50' Roll - roll

Lighter weight mesh, yet strong and ideal for most all temporary applications. Weight: 50 ft. - 11 lbs.



LUX-SSFGCFR-Y-XL ► Safety Vest Flame Resistant Mesh Vest Class 2 Yellow - XL - ea

ANSI Class 2, Inherently Flame Resistant Modacrylic mesh meets ASTM F1506 (ATPV 5.1 cal/cm2), 2 inches Flame Resistant 3M Scotchlite Reflective Material: Two 360° horizontal stripes, two vertical stripes, FR binding, hook & loop and thread, Pockets: 1 lower outside, Hook & loop closure, Color: Hi-Viz Yellow Available in Medium to 5X-Large



LUX-HSCLC3Z-XL ► Safety Vest Yellow Class 3 Two Tone Mesh Zipper Vest with Half Sleeve - XL - ea

Occnomix LUX-HSCLC3Z, Yellow ANSI Class 3, 2 Tone 1/2 Sleeve, 100% Polyester Mesh, Zipper Closure 2 Pockets, 2" Silver Reflective Tape, Color: Hi-Viz Yellow Complies with FHWA requirements to meet ANSI 107-2010 Sizes: Small to 5XL



142-8511 ► **Mask 3M Particulate N95 Respirator with Valve Respirator, 8511 - box/10**

The lightweight, disposable N95 particulate respirator is designed to help provide quality, reliable worker respiratory protection for certain non-oil based particles. 3M uses a variety of innovative technologies and features to help you meet your respiratory protection and comfort needs. The respirator incorporates 3M's proprietary technology with advanced electrostatically charged microfiber filter media, designed for ease of breathing. The proprietary 3M™ Cool Flow™ Exhalation Valve reduces heat build-up inside the respirator to help keep the wearer more comfortable. The soft inner material provides added comfort while the cup shape design makes the respirator spacious and durable. These features, along with the braided headbands and adjustable M-noseclip, are designed to enhance user comfort and help increase wearability. • N95 Approved

- 3M™ Cool Flow™ Exhalation Valve
- Soft inner materials
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable M-noseclip reduces potential for eyewear fogging and helps ensure a secure seal and fit.
- Braided headbands two-strap design with dual point attachment helps provide a secure fit.
- Suggested applications: Grinding, Sanding, Sweeping, Bagging and other dusty or arid operations. Ideally suited for work settings that involve heat, humidity, or long periods of wear.
- Can also be used to help reduce inhalation of certain airborne biological particles like mold, Bacillus anthracis, Mycobacterium tuberculosis, etc. Example applications include emergency or pandemic preparedness planning, stockpiling, etc.



20945 ► **Mask 3M Particulate N95 Respirator, 8210 - box/20 [cs/8]**

The lightweight, disposable N95 particulate respirator is designed to help provide quality, reliable worker respiratory protection. 3M uses a variety of innovative features to help you meet your respiratory protection and comfort needs. The respirator incorporates 3M's proprietary technology with advanced electrostatically charged microfiber filter media. It's adjustable noseclip and cushioning nose foam help provide a custom fit with secure seal and reduces potential for eyewear fogging. These comfort features, along with the welded strap attachment and lightweight construction promote greater worker acceptance and may help increase wear time. • N95 approved filtering facepiece particulate respirator

- Compatible with a variety of protective eyewear and hearing protection
- Adjustable noseclip reduces potential for eyewear fogging and helps ensure a better seal and fit.
- Two-strap design with welded dual point attachment helps provide a secure fit.
- Suggested applications: Grinding, Sanding, Sweeping, Bagging and other dusty operations.
- Can also be used to help reduce inhalation of certain airborne biological particles like mold, Bacillus anthracis, Mycobacterium tuberculosis, etc. Example applications include emergency or pandemic preparedness planning, stockpiling, etc.



209501 ► **Mask 3M Particulate P95 Respirator, 8271 - box/10 [cs/8 boxes]**

The lightweight, disposable P95 particulate respirator is designed to help provide quality, reliable worker respiratory protection. 3M uses a variety of innovative technologies and features to help you meet your respiratory protection and comfort needs. 3M's proprietary filter media, 3M™ Advanced Electret Media, filters dust and other particles, while allowing for easy breathing. The 3M™ Cool Flow™ Exhalation Valve, incorporating proprietary technology, reduces heat build-up inside the respirator to help keep the wearer more comfortable. The soft inner materials provide added comfort while the cup shape design makes the respirator spacious and durable. These features, along with the adjustable M-noseclip and braided headbands, are designed to help enhance user comfort and contribute to increased wear time. • P95 Approved • 3M™ Cool Flow™ Exhalation Valve • Soft inner materials • Comfortable foam faceseal • Compatible with a variety of protective eyewear and hearing protection • Adjustable M-noseclip reduces potential for eyewear fogging and helps ensure a secure seal and fit. • Braided two-strap design with dual point attachment helps provide a comfortable, secure fit. • Suggested applications: Grinding, Sanding, Sweeping, Bagging and other dusty/oily operations. Ideally suited for work settings that involve heat, humidity, or long periods of wear.



082130C ► **Mask Particulate N95 Respirator Folding, 82130 - box/20 [cs/10 bx]**

- N95 NIOSH Approved Particulate Respirator
- Smart-Mask design folds flat for easy storage and portability yet opens up for away from the face comfort
- Electrostatically charged state-of-the-art filtration media for better breathing and filtration
- Soft, comfortable outer layer and staple-free construction
- Packaging: unfolded and nested 20/box



845 ► Rescue Air Pack North 5 Minute Escape w/pvc hood

The emergency escape breathing apparatus for escape time of 5 minutes or less

Provide your workers with immediate access to clean air while they escape from low oxygen and unsafe areas with positive pressure respirators using the North® 5 Minute Emergency Escape Breathing Apparatus..

- Durable polyurethane hood features deflector to minimize fogging, rubber air hose, and refillable lightweight aluminum air cylinder
- For quick escape routes of no more than 5 minutes with moderate exertion
- Delivers 42 lpm high-volume air flow
- Versatile harness adjusts for wear on shoulder, neck, or waist
- High visibility carrying bag is easy to spot
- NIOSH approved for respiratory protection during escape only from oxygen-deficient atmospheres, gases, and vapors at temperatures above 0° F (-18° C)

This North 5 minute EEBA breathing apparatus respirator allows time for an emergency escape. For dependable protection in emergencies, this emergency escape breathing apparatus respirator from North is the safe choice.



454-815182 ► Respirator Cartridge fits MSA ComfoClassic GME-P100, 815182 - ea [box/6]

The GME-P100 Comfo Respirator Cartridges filter 99.97% of particulates in the air including aerosol particulates and fogging insecticides. Cartridges fit the Comfo Classic Respirator. Each cartridge provides approx. 6 continuous hours of clean air breathing.

Resistance = Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride, Mercury Vapor.

GME-P100 is a combination cartridge with NIOSH approvals for use against Organic Vapors, Acid Gases, Ammonia and Methylamines, Formaldehyde, Hydrogen Fluoride and P100 (99.97% efficient against 0.3 micron particulates). This Cartridge is effective against chemicals found in most cleaning agents. This type of filter exceeds the EPA's recommended minimum filter efficiency (95%) to minimize exposure to mold spores.



454-808074 ► Respirator Half Mask MSA ComfoClassic, 808074 - ea

The Comfo Classic Respirator is a half-mask respirator featuring a new SoftFeel facepiece which increases the comfort factor dramatically, and a unique face-seal design that gives the wearer exceptional fit. Upon inhalation, the air stream flows through the Comfo Respirator cartridges (sold separately), which remove contaminants, so the wearer breathes in clean, fresh air. The Comfo Classic mask can be used multiple times by purchasing replacement filter cartridges.

The low profile design allows eye glasses and goggles to be worn in combination with the Comfo Classic. An array of different replaceable filtering cartridges can be used with this mask. We recommend the P100 filter cartridges which will filter 99.97% of particulates including aerosol sprays, dust and viruses, so the wearer breathes in clean, fresh air.

The Comfo Respirator offers:

- SoftFeel Face piece
- Continuous loop straps
- Buckle closure
- Designed to wear with glasses or goggles
- Unique face seal



NOS913200 ► SCBA North Frontier 30 Minute Aluminum Cylinder w/Mask Facepiece.

North Frontier SCBA is as easy to use as it is rugged. Designed for the industrial user, this self-contained breathing apparatus (SCBA) features simple components that are dependable and easy to maintain. The North Frontier is available with either a tight fitting facepiece or a hood. Both provide the same high level of protection you need and expect from your SCBA. The featherweight demand valve is the smallest, most compact demand valve on the market, yet heavyweight on performance.

OSHA compliant for many SCBA applications except fire fighting. NIOSH Approved.



844AF ► Glasses Concept clear anti-fog lens, crystal black frame, foam lined - ea

Concept, clear anti-fog lens, crystal black frame, foam lined Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.



873 ► Glasses Concept HD brown flash mirror lens, black frame, foam lined - ea

Concept silver mirror lens, orange/ black frame, foam lined Similar to a smoke lens, but has the added mirror coating which filters more light further reducing the glare. Ideal for bright outdoor conditions.



28CM88 ► Glasses Conqueror Camo Frame Amber Lens [bx/10]

With a commanding presence and a keen sense of style, Conqueror helps to vanquish impact hazards.

- A soft, rubber nose piece and ergonomic, contoured temple tips for all-day wearability.
- Available in a unique "Camo" patterned or glossy black frame.
- Adjustable length eyewear retainer with each pair.
- Independently certified by Underwriters Laboratories to meet ANSI Z87.1+ and CSA Z94.3 standards.



28CM5M ► Glasses Conqueror Camo Frame Bronze Lens - ea [bx/10]

With a commanding presence and a keen sense of style, Conqueror helps to vanquish impact hazards.

- A soft, rubber nose piece and ergonomic, contoured temple tips for all-day wearability.
- Available in a unique "Camo" patterned or glossy black frame.
- Adjustable length eyewear retainer with each pair.
- Independently certified by Underwriters Laboratories to meet ANSI Z87.1+ and CSA Z94.3 standards.



26164AF ► Glasses Eclipse EVA Foam Lined Ratcheting Temples Gun Metal/Clear Anti-Fog, Crossfire 26164AF - ea

The foam lined Eclipse features ratcheting temples which allow for a more customized fit. Designed for the military and police forces, its versatility is suitable for civilian use in the workplace and recreation.



2641AF ► Glasses Eclipse Matte Black Frame Smoke Anti Fog Lens, Crossfire 2641AF - ea

The foam lined Eclipse features ratcheting temples which allow for a more customized fit. Designed for the military and police forces, its versatility is suitable for civilian use in the workplace and recreation.



2141 ► Glasses ES4 Smoke Lens Crystal Black Frame - ea

ES4 smoke lens, crystal black frame Designed for all environments, the ES4 features an adjustable nose piece, ultralight frame, and 100% visually correct lenses



2812 ► Glasses Infinity Gold Mirror, Orange Black Frame, 2812 - ea

Infinity gold mirror lens, orange/ black frame The mirrored surface over a smoke base lens diminishes glare by absorbing reflection across the mirror surface. Good for bright, outdoor conditions.



2117 ► Glasses Infinity HD Brown Flash Mirror, Crystal Brown Frame 2117 - ea

Infinity high definition brown flash mirror lens, crystal brown frame Filters blue light which can cause eye fatigue and cause a haze effect. Use in normal to bright outdoor use.



22528 ► Glasses Infinity Pearl Pink/Dark Smoke Lens, Crossfire, 22528 - ea

The full frame Infinity joins the list of one of top selling designs. The comfortable fit is easy to wear all day and is offered in various options including polarized



263 ► Glasses Infinity Silver Mirror , Shiny Black Frame 263 - ea

Infinity with silver mirror lens and shiny black frame Similar to a smoke lens, but has the added mirror coating which filters more light further reducing the glare. Ideal for bright outdoor conditions.



241 ► Glasses Infinity Smoke lens, Black Crystal Frame 241 - ea

Infinity smoke lens and black crystal frame The perfect all around tint for normal outdoor conditions



3463 ► Glasses KP6 silver mirror lens, shiny black frame - ea

KP6 silver mirror lens, shiny black frame Similar to a smoke lens, but has the added mirror coating which filters more light further reducing the glare. Ideal for bright outdoor conditions.



2444AF ► Glasses MP7 clear lens, crystal black frame, foam lined - ea

MP7, clear anti-fog lens, crystal black frame-NEW ITEM- ANTIFOG Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.



2461AF ► Glasses MP7 dark smoke anti-fog lens, shiny black frame, foam lined - ea

MP7, smoke anti-fog lens, shiny black frame, foam lined The perfect all-around tint for normal outdoor conditions.



24426 ► Glasses MP7 Polarized Crystal Black/Blue Green Lens, Crossfire 24426 - ea

The MP7 is one of our best selling full frame, polarized styles. The polarized lens is the only non-foam lined being offered in this style.



JAC3020708 ► Glasses Nemesis Camo Frame Amber Lens [bx/12]

Camo Frame/amber Lens • Sleek, sporty style • Soft touch temples • Lightweight construction • Single lens wrap-around protection



JAC3020707 ► Glasses Nemesis Camo Frame/Smoke Lens - ea [bx/12]

Camo Frame/smoke Lens • Sleek, sporty style • Soft touch temples • Lightweight construction • Single lens wrap-around protection



3000355JS ► **Glasses Nemisis Black Frame/Clear Lens Anti Fog - ea [bx/12]**

Black Frame/smoke Lens • Sleek, sporty style • Soft touch temples • Lightweight construction • Single lens wrap-around protection



3011375 ► **Glasses Nemisis Camo Frame Bronze Lens - ea [bx/10]**

Camo Frame/bronze Lens • Sleek, sporty style • Soft touch temples • Lightweight construction • Single lens wrap-around protection



3112 ► **Glasses OG3 HD brown lens, crystal brown frame - ea**

OG3 brown lens, crystal brown frame Use in normal to bright outdoor conditions



3115 ► **Glasses OG3 Large brown lens, crystal brown frame - ea**

OG3, brown lens, crystal brown frame Use in normal to bright conditions



3116 ► **Glasses OG3 Large smoke lens, crystal black frame - ea**

OG3 smoke lens, crystal black frame The perfect all-around tint for normal and bright outdoor conditions.



3113 ► **Glasses OG3 smoke lens, crystal black frame - ea**

OG3 smoke lens, crystal black frame The perfect all-around tint for normal and bright outdoor conditions.



23615 ► **Glasses RPG Shiny Peal Gray/Indoor/Outdoor Lens, Crossfire 23615 - ea**

The newly redesigned full frame RPG makes the list again as one of our best selling styles. Fitting a wide range of users, it is offered in various lens selections for application in diverse environments.



23233 ► **Glasses RPG silver mirror lens, shiny black w/pearl red frame - ea**

RPG silver mirror lens, shiny black/pearl red frame Similar to a smoke lens, but has the added mirror coating which filters more light further reducing the glare. Ideal for bright outdoor conditions.



23421 ► **Glasses RPG smoke lens, crystal black frame - ea**

RPG smoke lens, crystal black frame The perfect all around tint for normal outdoor conditions



28GB83 ► Glasses Safety Conqueror Black/Smoke lens - ea [bx/10]

- A soft, rubber nosepiece and ergonomic, contoured temple tips for all-day wearability.
- Available in a unique "Camo" patterned or glossy black frame.
- Adjustable length eyewear retainer with each pair.
- Independently certified by Underwriters Laboratories to meet ANSI Z87.1+ and CSA Z94.3 standards.



924 ► Glasses Sniper Clear w/ Black Frame 924 - ea

Sniper clear lens, matte black frame Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.



9117 ► Glasses Sniper HD brown flash mirror lens, crystal brown frame - ea

Sniper HD brown flash mirror lens, crystal brown frame Filters blue light which can cause eye fatigue and cause a haze effect. For normal to bright outdoor use.



921 ► Glasses Sniper Smoke Lens, Matte Black Frame 921 - ea

Sniper smoke lens and a matte black frame The perfect all around tint for normal outdoor conditions



9141 ► Glasses Sniper smoke lens, woodland brown camo frame - ea

Sniper smoke lens, woodland camo frame The perfect all around tint for normal outdoor conditions



4680 ► Glasses Starlite Clear Frame/Clear Lens 4680 - ea [box/10]

Economically priced to fit any budget. Scratch-resistant, hardcoated 100% polycarbonate lenses feature revolutionary, dual 9.75 base curvature viewing areas for wide, unobstructed vision



4683 ► Glasses Starlite Gray Frame/Gray Lens, 4683 - ea [box/10]

Economically priced to fit any budget. Scratch-resistant, hardcoated 100% polycarbonate lenses feature revolutionary, dual 9.75 base curvature viewing areas for wide, unobstructed vision



4686 ► Glasses Starlite Mocha Frame/Mocha Lens, 4686 - ea [box/10]

Economically priced to fit any budget. Scratch-resistant, hardcoated 100% polycarbonate lenses feature revolutionary, dual 9.75 base curvature viewing areas for wide, unobstructed vision



552 ► Towlette, KleenView Lens Cleaning [cs/10 bx] [bx/100]

Kleen View lens cleaning solution is anti-fog, anti static formula that helps extend the life of eyewear. • Attractive, compact lens cleaning stations in durable cardboard construction. • Spray solution is packaged with soft, non-abrasive tissues and available in two sizes. • Convenient, single-use towelettes are also available for quick lens cleaning.



CGA24RB ► Sign, "Caution Eye and Ear Protection Required in This Area" w/graphic, 10 x 14 Rigid Plastic - ea

ANSI Signs

ANSI signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an ANSI regulated sign today and prevent an accident tomorrow.



C31P ► Sign, "Caution Hard Hat Area", 7 x10 Pressure Sensitive - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.198

Available in: Pressure Sensitive Vinyl, Aluminum, Rigid Plastic & Fiberglass



C395A ► Sign, "Caution Personal Protective Equipment Required Beyond This Point", 7 x 10 Aluminum - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.170

Available in: Pressure Sensitive Vinyl, Aluminum & Rigid Plastic

Available sizes: 7 x 10, 10 x 14



D404RB ► Sign, "Danger Construction Area Keep Out", 10 x 14 Rigid Plastic - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Pressure Sensitive Vinyl, Aluminum, Rigid Plastic



D427P ► Sign, "Danger Diesel Fuel", 7 x 10 Pressure Sensitive - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Pressure Sensitive Vinyl, Aluminum, Rigid Plastic & Fiberglass



D127AP ► Sign, "Danger Diesel", 3 x 5 Pressure Sensitive - pkg/5

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145



D670RB ► Sign, "Danger Eye and Ear Protection Required In This Area", 10 x 14 Rigid Plastic - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Pressure Sensitive Vinyl, Aluminum, Rigid Plastic



D126P ► Sign, "Danger Flammable", 7 x 10 Pressure Sensitive - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Pressure Sensitive Vinyl, Aluminum, Rigid Plastic & Fiberglass



D40A ► Sign, "Danger Gasoline", 7 x 10 Aluminum - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Rigid Plastic, Aluminum & Pressure Sensitive



D46RB ► Sign, "Danger Hard Hat Area", 10 x 14 Rigid Plastic - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Aluminum, Pressure Sensitive, Rigid Plastic & Fiberglass



D217AB ► Sign, "Danger No Smoking Matches or Open Flames", 10 x 14 Aluminum - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Pressure Sensitive, Aluminum & Rigid Plastic



D81AB ► Sign, "Danger No Trespassing", 10 x 14 Aluminum - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Pressure Sensitive, Aluminum, Rigid Plastic & Fiberglass



DBA5R ► Sign, "Danger Non Potable Water Do Not Drink" Bilingual, 10 x 18 Rigid Plastic - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Pressure Sensitive, Rigid Plastic



D625PB ► Sign, "Danger Wear Chemical Goggles, Face Shield and Rubber Gloves When Handling Chemicals", 10 x 14 Pressure Sensitive - ea

OSHA Signs

OSHA signs are the perfect way to alert your employees and guests when a hazard is present in your facility. Keep your facility safe, buy an OSHA regulated sign today and prevent an accident tomorrow. These OSHA signs comply with OSHA 29 CFR 1910.145

Available in Pressure Sensitive Vinyl, Aluminum, Rigid Plastic



M52 ► Sign, "Diesel", Red on White, 4 x 12 Pressure Sensitive - ea

Self-Adhesive VINYL SIGNS are silk screened with UV inks, then clear laminated for durability and fade resistance

• Mounting surface must be clean, dry, smooth and nonporous. To mount these on a porous surface, such as brick or concrete block, use our Sign On aerosol adhesive

• States: "DIESEL"

• Size: 4" x 12"

• Material: Vinyl



BL168 ► Sign, "Emergency EXIT Only", Red on White, 6 x 12 Pressure Sensitive - ea

• Self-adhesive vinyl sign

• Silk screened with UV inks

• States: "EMERGENCY EXIT ONLY"

• Red letters on white background

• Size: 12" x 6"



LED1 ► Sign, "Exit" Light 120V with Battery Backup LED1 - ea

• High-impact thermoplastic housing • Include a solid-state charger, universal mounting, test button, low voltage disconnect, LED indicator, replaceable pop-out chevrons and 120/277VAC operation • 10-year warranty

• Height: 7 1/2" Width: 12" Depth: 1 1/2"



G112 ► Sign, "EXIT", Glow in the dark, 8 x 12 Pressure Sensitive - ea

GLOW-IN-THE-DARK SELF-ADHESIVE VINYL signs will glow for up to eight hours, remaining very visible in normal lighting. Cycling from daylight to darkness will not wear out signs.

Measures 12" x 8"



BL112 ► Sign, "EXIT", White on Red, 12 x 18 Pressure Sensitive - ea

- Self-adhesive vinyl sign
- Silk screened with UV inks
- States: "EXIT"
- White letters on red background
- Size: 12" x 8"



M51P ► Sign, "Gasoline", Red on White, 4 x 12 Pressure Sensitive - ea

- Self-Adhesive VINYL SIGNS are silk screened with UV inks, then clear laminated for durability and fade resistance
- Mounting surface must be clean, dry, smooth and nonporous. To mount these on a porous surface, such as brick or concrete block, use our Sign On aerosol adhesive
 - States: "GASOLINE"
 - Size: 4" x 12"
 - Material: Vinyl
- Also available in Rigid Plastic



TM10J ► Sign, "Handicapped Vehicle Parking" w/symbol, 18 x 12 Aluminum - ea

Handicap Parking Signs

These MUTCD compliant signs are perfect for communicating handicap parking messages to drivers at your facility. Durable and weatherproof, these ADA compliant signs are designed for outdoor use and will stand the test of time.



BL115 ► Sign, "No Smoking" with picture, Red on White, 8 x 10 Pressure Sensitive - ea

- Self-Adhesive VINYL SIGNS are silk screened with UV inks, then clear laminated for durability and fade resistance
- Mounting surface must be clean, dry, smooth and nonporous. To mount these on a porous surface, such as brick or concrete block, use our Sign On aerosol adhesive

- States: "NO SMOKING"
- Size: 8" x 10"
- Material: Vinyl

Also available in Aluminum or Rigid Plastic



BL110 ► Sign, "No Smoking", Red on White, 12 x 4 Pressure Sensitive - ea

- Self-Adhesive VINYL SIGNS are silk screened with UV inks, then clear laminated for durability and fade resistance
- Mounting surface must be clean, dry, smooth and nonporous. To mount these on a porous surface, such as brick or concrete block, use our Sign On aerosol adhesive

- States: "NO SMOKING"
- Red letters on a white background
- Size: 12" x 4"

Available in Pressure Sensitive Vinyl, Aluminum



BL126 ► Sign, "Not An EXIT", Red on White, 10 x 9 Pressure Sensitive - ea

- Self-adhesive vinyl sign
- Silk screened with UV inks
- States: "NOT AN EXIT"
- Red letters on white background
- Size: 10" x 9"



HMS15P ► Sign, Hazardous Material System Label, 15 x 15 Pressure Sensitive - pkg

Hazard System Labels

Comply with NFPA 704 with these Hazardous System Labels.



DL41BP ► Sign, Placard 1203, Gasoline, 10.75 x 10.75 Pressure Sensitive - ea

Placards to properly mark hazardous materials being transported on public highways and comply with DOT regulations.



DL139BP ► Sign, Placard 1267, Petroleum Crude Oil, 10.75 x 10.75 Pressure Sensitive - ea

Placards to properly mark hazardous materials being transported on public highways and comply with DOT regulations.



DL146BR ► **Sign, Placard 1760, Corrosive Liquid, 10.75 x 10.75 Rigid Plastics - ea**

Placards to properly mark hazardous materials being transported on public highways and comply with DOT regulations.



DL40BP ► **Sign, Placard 1993, Combustible Materials, 10.75 x 10.75 Pressure Sensitive - ea**

Placards to properly mark hazardous materials being transported on public highways and comply with DOT regulations.



DL144BP ► **Sign, Placard 1999, Asphalt and Tars, 10.75 x 10.75 Pressure Sensitive - ea**

Placards to properly mark hazardous materials being transported on public highways and comply with DOT regulations.



DL158P ► **Sign, Placard Flammable, 10.75 x 10.75 Pressure Sensitive - ea**

Placards to properly mark hazardous materials being transported on public highways and comply with DOT regulations. Available in Pressure Sensitive Vinyl & Rigid Plastic



PH4 ► **Sign, Placard Flip, 10.75 x 10.75 Aluminum - ea**

As the hazardous content of your container changes, so can your placard. Combination placards feature 5 placards and flip change numbers to provide the most versatility. Change legends with a simple flip of a file.

Placards to properly mark hazardous materials being transported on public highways and comply with DOT regulations.



RPCS6 ► **Sign, Safety Cone Sign "Caution", Rigid Plastic, RPCS6 - ea**

Safety Cone Signs make installing temporary signage quick and easy. Specially designed cut grooves allow you to slip the sign right onto the top of the cone.



RPCS12 ► **Sign, Safety Cone Sign "Slow", Rigid Plastic, RPCS12 - ea**

Safety Cone Signs make installing temporary signage quick and easy. Specially designed cut grooves allow you to slip the sign right onto the top of the cone.



ST-SL18 ► **Stop/Slow Paddle w/10" Handle - ea**

STOP / SLOW paddle signs are used during road construction to help guide traffic through one way roadways. Made of weather resistant hardboard.



ST-ST18 ► **Stop/Stop Paddle 18" w/10" Handle - ea**

STOP / SLOW paddle signs are used during road construction to help guide traffic through one way roadways. Made of weather resistant hardboard.



FASPOWBLUR ► All Sport Body Quencher Blue Raz, 2.5gal packets - pkg [cs/32]

All Sport Body Quencher was developed using sport physiology research. All Sport has an optimal balance of fluids and carbohydrates, Vitamin C, and a great taste that satisfies more than just your thirst. All Sport isn't just a thirst quencher – it's a Body Quencher.



FASPOWFP ► All Sport Body Quencher Fruit Punch, 2.5gal packets - pkg [cs/32]

All Sport Body Quencher was developed using sport physiology research. All Sport has an optimal balance of fluids and carbohydrates, Vitamin C, and a great taste that satisfies more than just your thirst. All Sport isn't just a thirst quencher – it's a Body Quencher.



FASPOWLEML ► All Sport Body Quencher Lemon/Lime, 2.5gal packets - pkg [cs/32]

All Sport Body Quencher was developed using sport physiology research. All Sport has an optimal balance of fluids and carbohydrates, Vitamin C, and a great taste that satisfies more than just your thirst. All Sport isn't just a thirst quencher – it's a Body Quencher.



FASPOWORG ► All Sport Body Quencher Orange, 2.5gal packets - pkg [cs/32]

All Sport Body Quencher was developed using sport physiology research. All Sport has an optimal balance of fluids and carbohydrates, Vitamin C, and a great taste that satisfies more than just your thirst. All Sport isn't just a thirst quencher – it's a Body Quencher.



FASPOWVAR ► All Sport Body Quencher Variety Pack, 2.5gal packets - pkg [cs/32]

All Sport Body Quencher was developed using sport physiology research. All Sport has an optimal balance of fluids and carbohydrates, Vitamin C, and a great taste that satisfies more than just your thirst. All Sport isn't just a thirst quencher – it's a Body Quencher.



FASPOWVARZ ► All Sport Body Quencher Zero Variety Pack, 1 oz packets - box [cs/10bx/50ct] [cs/500]

All Sport Body Quencher was developed using sport physiology research. All Sport has an optimal balance of fluids and carbohydrates, Vitamin C, and a great taste that satisfies more than just your thirst. All Sport isn't just a thirst quencher – it's a Body Quencher.



11-16.9 ► Bottled Drinking Water 16.9 oz - cs [cs/32] [pallet/60 cs]

Quench your thirst with Purified Water. This bottled water contains flavor enhancing minerals to offer a clean, pure taste and outstanding quality with every sip. Ingredients: Purified water, Calcium Chloride, Sodium Bicarbonate

- Purified Water
- 40 - 16.9 fl. oz. bottles
- Half liter bottles



11101-4 ► Drinking Water 4 Gallon Bottle - ea [pallet/20]

Drinking Water 4 Gallon Bottle [pallet/20]



209366 ► Gatorade, 20oz Mixed Original Lemon Lime, Orange & Fruit Punch - cs [cs/24] [pallet/54]

Rehydrate, replenish and refuel with Gatorade.

This variety pack includes:

- 8 - Fruit Punch
- 8 - Lemon Lime
- 8 - Orange



308-33691 ► Gatorade, Fruit Punch 2.5gal packets [33691] - pkg [cs/32 pkg]

Original Gatorade formula in instant powder with Fruit Punch flavor for optimal hydration to help athletes perform at their best replacing electrolytes and carbohydrates loss during high-endurance exercise and competition. Scientifically-formulated with the optimal fluid and energy solution for sports. Each case contains 32 bags with 21 oz of original Gatorade instant powder mix in thirst quenching Fruit Punch flavor, giving you 2.5 gallons of instant Gatorade with each bag, for a total of 80 gallons per case. Just open a 2.5oz Fruit Punch bag of instant Gatorade powder anywhere, mix it with fresh water, and you'll be able to hydrate your whole team of athletes. Gatorade instant powder is perfect for large family events, Super Bowl parties, tailgating, school cafeterias, and other large receptions.



308-33677 ► Gatorade, Glacier Freeze 2.5gal packets [33677] - pkg [cs/32 pkg]

Original Gatorade formula in instant powder with Glacier Freeze flavor for optimal hydration to help athletes perform at their best replacing electrolytes and carbohydrates loss during high-endurance exercise and competition. Scientifically-formulated with the optimal fluid and energy solution for sports. Each case contains 32 bags with 21 oz of original Gatorade instant powder mix in thirst quenching Glacier Freeze flavor, giving you 2.5 gallons of instant Gatorade with each bag, for a total of 80 gallons per case. Just open a 2.5oz Glacier Freeze bag of instant Gatorade powder anywhere, mix it with fresh water, and you'll be able to hydrate your whole crew. Gatorade instant powder is perfect for events, industrial use, other large receptions and anywhere you need hydration



308-03969 ► Gatorade, Lemon Lime 2.5gal packets [3969] - pkg [cs/32 pkg]

Original Gatorade formula in instant powder with Lemon-Lime flavor for optimal hydration to help athletes perform at their best replacing electrolytes and carbohydrates loss during high-endurance exercise and competition. Scientifically-formulated with the optimal fluid and energy solution for sports. Each case contains 32 bags with 21 oz of original Gatorade instant powder mix in thirst quenching Lemon-Lime flavor, giving you 2.5 gallons of instant Gatorade with each bag, for a total of 80 gallons per case. Just open a 2.5oz Lemon-Lime bag of instant Gatorade powder anywhere, mix it with fresh water, and you'll be able to hydrate your whole crew.



308-03970 ► Gatorade, Orange 2.5gal packets [3970] - pkg [cs/32 pkg]

Original Gatorade formula in instant powder with Orange flavor for optimal hydration to help athletes perform at their best replacing electrolytes and carbohydrates loss during high-endurance exercise and competition. Scientifically-formulated with the optimal fluid and energy solution for sports. Each case contains 32 bags with 21 oz of original Gatorade instant powder mix in thirst quenching Orange flavor, giving you 2.5 gallons of instant Gatorade with each bag, for a total of 80 gallons per case. Just open a 2.5oz Orange bag of instant Gatorade powder anywhere, mix it with fresh water, and you'll be able to hydrate your whole crew. Gatorade instant powder is perfect for events, industrial use, other large receptions and anywhere you need hydration.



308-33673 ► Gatorade, Riptide Rush 2.5gal packets [33673] - pkg [cs/32 pkg]

Original Gatorade formula in instant powder with Riptide Rush flavor for optimal hydration to help athletes perform at their best replacing electrolytes and carbohydrates loss during high-endurance exercise and competition. Scientifically-formulated with the optimal fluid and energy solution for sports. Each case contains 32 bags with 21 oz of original Gatorade instant powder mix in thirst quenching Riptide Rush flavor, giving you 2.5 gallons of instant Gatorade with each bag, for a total of 80 gallons per case. Just open a 2.5oz Riptide Rush bag of instant Gatorade powder anywhere, mix it with fresh water, and you'll be able to hydrate your whole crew. Gatorade instant powder is perfect for events, industrial use, other large receptions and anywhere you need hydration.



32-45Q-OC-TAN ► Pelican Cooler 45 Quart Tan - ea

- 7-10 day ice retention*, freezer grade gasket, 2" polyurethane insulation
- Dual Handle System (Molded-in & Hinged Handles)
- Press & Pull Latches (Wide for Gloved Use)
- Molded-In Tie Downs
- Non-Skid & Non-Marking Raised Feet
- Molded-In Lock Hasp, Stainless Steel Plate
- Sloped Drain & Tethered Threaded Plug (Garden Hose Attachable)
- Corrosion Resistant Stainless Steel Hardware
- Integrated Fish Scale on Lid
- Guaranteed for life
- Assembled in the USA with US and foreign components



24009091-12 ► Boot, Hip Size 12 Steel Toe Economy - pair

The rugged Economy Hip Boot provides great protection in muddy, grimy job sites. They are made of 100% waterproof, abrasion-resistant rubber and have a steel toe that meets or exceeds ASTM F2413-11 M I/75 C/75 EH. A slip-resistant Diamond Bar outsole provides excellent traction.

Features

100% waterproof protection
Extra rubber protective toecap
Slip-resistant Diamond Bar™ outsole for excellent traction on varied surfaces
Steel shank
32" height
7 lbs per pair
Steel safety toe meets or exceeds ASTM standard F2413-11 M I/75 C/75 EH. Electrical hazard (EH) footwear is manufactured with non-conductive electrical shock resistant soles and heels
Available in Sizes 6 to 16



24009043-12 ► Boot, Knee Size 12 Steel Toe Economy - pair

The rugged Economy Knee Boot provides great protection in muddy, grimy jobsites. They are made of 100% waterproof, abrasion-resistant rubber and have a steel toe that meets or exceeds ASTM F2413-11 M I/75 C/75 EH. A slip-resistant Diamond Bar outsole provides excellent traction.

Features

100% waterproof protection
Double-layer, abrasion-resistant toe guard
Slip-resistant Diamond Bar™ outsole for excellent traction on varied surfaces
Steel shank
16" height
5.1 lbs per pair
Steel safety toe meets or exceeds ASTM standard F2413-11 M I/75 C/75 EH. Electrical hazard (EH) footwear is manufactured with non-conductive electrical shock resistant soles and heels
Available in sizes 7 to 14



417-45314 ► Coverall Kleenguard A65 Flame Resistant Disposable Blue - XLarge - ea [cs/25]

A soft yet strong, lightweight garment made of a special spunlace nonwoven fabric treated with a flame-resistant finish. While not primary fire-protection gear, KLEENGUARD* A65 PREVAIL* Flame Resistant Coveralls are designed to be worn in areas where exposure to sparks is possible. Flame resistant and compliant with NFPA 701. NFPA 99 compliant. Complies with the flame resistance requirements cited by paragraph 6.1 of CAN/CGSB-155.20-2000.



NX4-681NB/XL ► Coverall Nomex IIIA 4.5 oz. Navy Blue - XLarge - ea

4.5 oz. Nomex IIIA Aramid Coveralls are made with flame-resistant properties for life (if cared for properly). This Coverall is in Contractor's style with 2-way brass zippers, a by-swing back, plus rear, front and breast pockets. The snap closures are concealed. This coverall is equipped with an elastic waistband and five-thread safety stitch.



NX4-681TN/XL ► Coverall Nomex IIIA 4.5 oz. Tan - XLarge - ea

4.5 oz. Nomex IIIA Aramid Coveralls are made with flame-resistant properties for life (if cared for properly). This Coverall is in Contractor's style with 2-way brass zippers, a by-swing back, plus rear, front and breast pockets. The snap closures are concealed. This coverall is equipped with an elastic waistband and five-thread safety stitch.



251-NG127S-NP-XL ► Coverall Proshield NexGen w/Hood - XLarge - ea [cs/25]

The DuPont NG127S ProShield® NexGen® coverall is constructed from a proprietary composite of breathable film and non-woven fabric. This makes these white coveralls economical, lightweight and soft - yet strong with good physical properties against particles and some hazardous liquids. The set sleeve design utilizes underarm gussets for greater freedom of movement. Face, wrist and ankle openings are bordered with elastic for a snug, comfortable fit with safety as the top priority. These coveralls have an attached hood, zippered front and serged seams for a strong, stress-resistant seam.



251-TY127S-L ► Coveralls Tyvek Attached Hood; Elastic Wrist & Ankles - Large - ea [cs/25]

These DuPont TY127S Tyvek Disposable Coveralls are made from flashspun Polyolefin which is a unique non-woven material that is resistant to penetration and is chemically and biologically inert, low linting and anti-static treated. Typical applications for use include: Agriculture, food processing, fiberglass manufacturing, spray painting and finishing operations, lead abatement, asbestos abatement, mold remediation and other applications involving dry chemicals, dirt and radioactive dust. DuPont is the industry leader in disposable, dry particle and aerosol protection their proprietary fabric technology creates an inherent barrier, not a laminate that can be easily scratched or compromised. These disposable suits offer lightweight durability and high barrier characteristics making them ideal for many industrial and agricultural applications. Available in sizes: Small through 4X-Large. Color: White. 25 Coveralls to a case.



17570 ► **Joe's Hand Cleaner - 15oz tube [cs/12]**

Joe's Original creamy formula liquifies and gently lifts grease, grime and stains from the hands safely without water. The lanolin and skin care emollients help heal rough, dry and overused hands. This is a convenient plastic squeeze tube you can take with you.



452809-1 ► **Spartan All Duty Grub Scrub Hand Cleaner - gal [cs/4]**

Grub Scrub is a heavy duty, pumpable Hand Cleaner formulated with d-limonene, pumice and moisturizers that work efficiently to penetrate and remove the toughest dirt, grease and grime from hard working hands. It goes where you go and works where you work to get your hands clean in the washroom or at the workbench. Hands feel soft, clean and fresh. No lingering fragrance or residue to offend senses. A unique emulsifying and surfactant system that works synergistically and d-limonene for quick efficient removal of grease.



452960-1 ► **Spartan BioRenewable Waterless Hand Cleaner - gal [4/cs]**

BioRenewables Waterless Hand Cleaner is formulated with a soybean solvent base to remove heavy-duty soils safely and easily. To enhance deep cleaning performance, BioRenewables Waterless also contains a blend of surfactants to emulsify the soil. This hand cleaner has a cold-cream consistency, an opaque white color and a fresh, clean smelling, herbal fragrance. BioRenewables Waterless Hand Cleaner can be used with or without water and will not dry out the skin or leave an unpleasant solvent smell on the hands. The new formula contains Aloe Vera to help condition the skin, even after multiple washings. The cosmetic grade soybean oil solvent will not strip oils from the skin, preventing dryness and cracking. 80% bio based



452038-5 ► **Spartan Butyl BH-38 Cleaner - [5gal]**

Multi-purpose butyl base detergent provides quick penetration and easy removal of light to medium industrial soils. Formulated for use at low dilutions. Safe to use on painted surfaces. Use in pressure washers and industrial scrubbers. Formulations of this nature should never be looked upon as substitutes for all-purpose cleaners, but instead, a product designed for heavy-duty cleaning tasks. For example, airplane nacelles, appliances, brick, concrete, engines, machinery, flues, hoods, and office machines all can be cleaned at one part BH-38 to two parts water. Kitchen walls, tile, marble, and dirty terrazzo -- a dilution of one part BH-38 to seven parts water is recommended. You can clean light fixtures, appliances, and stainless steel at a dilution of 1:10.



452038-1 ► **Spartan Butyl BH-38 Cleaner - gal [cs/4]**

Multi-purpose butyl base detergent provides quick penetration and easy removal of light to medium industrial soils. Formulated for use at low dilutions. Safe to use on painted surfaces. Use in pressure washers and industrial scrubbers. Formulations of this nature should never be looked upon as substitutes for all-purpose cleaners, but instead, a product designed for heavy-duty cleaning tasks. For example, airplane nacelles, appliances, brick, concrete, engines, machinery, flues, hoods, and office machines all can be cleaned at one part BH-38 to two parts water. Kitchen walls, tile, marble, and dirty terrazzo -- a dilution of one part BH-38 to seven parts water is recommended. You can clean light fixtures, appliances, and stainless steel at a dilution of 1:10.



456730 ► **Spartan Lube-All - can [cs/12]***

Lube-All is a high tech lubricant enhanced with zonyl® PTFE Resin. It maintains longer lubricity and wear resistance. It cleans and lubricates, restoring smooth operation to sticky or rusty mechanisms without disassembling. Quick penetrating action through the smallest cracks and crevices places lubricant where it is needed. Lube All does not dry out and stops irritating squeaks. It protects metals by driving moisture out and providing a barrier against corrosive environments. The rich blend of lubricating oil and anti-friction agents provides a protective barrier against rust and corrosion. Use on frozen bolts, fasteners, tools, sliding doors, locks, hinges, window cranks, operating controls, linkages, cables, chains, chucks, dies, electronic gears, etc. Spray on electrical tools, appliances, and automobile starters.



452200-5 ► **Spartan SC-200 Industrial Cleaner - [5gal]**

High alkaline, solvent-base extra heavy duty industrial cleaner. Formulated for use at low to medium range dilutions. Attacks grease and encrusted soil on concrete, road equipment, and heavy machinery. May be used in automatic scrubbers. Phosphate free. Biodegradable.



452200-1 ► **Spartan SC-200 Industrial Cleaner - gal [cs/4]**

High alkaline, solvent-base extra heavy duty industrial cleaner. Formulated for use at low to medium range dilutions. Attacks grease and encrusted soil on concrete, road equipment, and heavy machinery. May be used in automatic scrubbers. Phosphate free. Biodegradable.



456520 ► **Spartan SD-20 All Purpose Cleaner/degreaser - can [cs/12]**

Formulated to foam away dirt, grease and fingerprints from washable surfaces. Its industrial strength formula tackles a wide range of cleaning jobs-from removing heavy soil and wax build-up on baseboards to foaming away grease on exhaust vents and hoods. It will clean painted walls and woodwork and will remove grease from the inside of cabs on tractors. SD-20 will clean white-wall tires whiter than any product of its kind on the market today. SD-20 All Purpose Degreaser aerosol can be turned upside down and sprayed to get into hard to reach nooks and crannies. The clinging foam, no rinse formula allows concentration of the product on stubborn spots and aids in "spot cleaning". Just spray and wipe.



37475 ► **Cascades Spun Lace Wiper 1/4 fold Poly Bag White 12 x 13 [cs/500]**
[pkg/10/50's]

Like-Rags® Spunlace 1/4 Fold 50 Towels

High performance nonwoven Like-Rags towels are designed for durability, strength, and absorbency. They can be used in all cleaning and wiping applications. Like-Rags are the ideal choice for applications that require resistance to solvents and virtually lint free wiping. They eliminate the waste and cost guesswork associated with industrial rags. Ideal replacements for rental shop towels and rags.

Ply type: 1/4 Fold Colour: White Item size: 12 x 13 in (30.4 x 33 cm) Items/Package: 50



3821 ► **Cascades Wiper Blue Windshield Towel - cs [cs/12] [pallet/60]**

Blue Windshield Towels

Item size: 10.250 x 9.250 in (26.04 x 23.5 cm) Items/Package: 168 Packages/Shipping unit: 12



3688 ► **Cascades Wiper Double Recrepe 12 x 13 - cs [cs/960]**

DRC (Double Recrepe) Towels provide a cloth-like feel with maximum absorbency and strength. Superior water, oil and grease clean up with excellent wipe dry capabilities. Manufactured with up to 45% Recycled Fibers. 1/4 fold white.

Item size: 12 x 13 in (30.48 x 33.02 cm) Items/Package: 60 Packages/Shipping unit: 16



36790 ► **Cascades Wiper Double Recrepe Pop Up Box - cs [100/bx] [cs/8]**

DRC (Double Recrepe) Towels provide a cloth-like feel with maximum absorbency and strength. Superior water, oil and grease clean up with excellent wipe dry capabilities. Manufactured with up to 45% Recycled Fibers.

Item size: 9.750 x 16.250 in (24.76 x 41.28 cm) Items/Package: 100 Packages/Shipping unit: 8



37640 ► **Cascades Wiper Like-Rag Pop Up Box 9.75 x 16.75 - box [125/bx][cs/6]**

Like-Rags® Spunlace Towels are a high performance nonwoven towel engineered for use with chemical solvents and are extremely durable. Like-Rags are the ideal replacement for rental shop towels and rags.

Item size: 9.750 x 16.750 in (24.76 x 42.54 cm) Items/Package: 125 Packages/Shipping unit: 6



34200 ► **Cascades Wiper Scrim Reinforced 4 Ply, 9.75 x 16.75 - cs [150/bx][cs/6]**

Tuff-Job® Scrim Reinforced Towels provides the best wipe-dry performance and for all-purpose wiping jobs where extra durability is needed.

Item size: 9.750 x 16.750 in (24.76 x 42.54 cm) Items/Package: 150 Packages/Shipping unit: 6



3823 ► **Cascades Wiper Tuff Job Hand Cleaning 3D Textured Towel - Can [cs/6]**

Tuff-Job® Hand Cleaning Towels are a pre-moistened, quick, economical hand towel and cleaner combined. Tuff-Job Towels are convenient and safe way to clean hands and tools with no need to rinse. Formulated with orange oil for superior cleaning power and moisturizers for skin.
Item size: 9.600 x 12.500 in (24.38 x 31.75 cm) Sheets/Roll: 72 Packages/Shipping unit: 6



655-SPC100 ► **Pads Oil Absorb SPC 15 x 19 [bundle/100]**

1-ply, dimpled, perfed, heavy weight pad. Now made with MAXX technology. For use with oil and petroleum based fluids.

Size: 15"x19"

Count: 100

Unit Of Sales: bale



451086 ► **Spartan Hard Surface Disinfecting wipes Fresh - canister [6/cs] [125wipes/canister]**

A quat-based hard surface wipe. As a cleaner, disinfectant and sanitizer, this product brings convenience to cleaning. Kills 99% of bacteria in just 15 seconds. Each case contains six canisters of 125 7x8 inch heavy-duty wipes.



451085 ► **Spartan Hard Surface Disinfecting Wipes Lemon - canister [6/cs] [125wipes/canister]**

A quat-based hard surface wipe. As a cleaner, disinfectant and sanitizer, this product brings convenience to cleaning. Kills 99% of bacteria in just 15 seconds. Each case contains six canisters of 125 7x8 inch heavy-duty wipes.



451087 ► **Spartan Hard Surface Disinfecting Wipes NABC Scent [cs/6]**

A quat-based cleaner/disinfecting/sanitizing hard surface wipe. Kills 99% of bacteria in just 15 seconds. Six canisters per case with 125 wipes per canister.



15401043 ► **Wiper Shop Pro Blue Roll Towel Kimberly Clark [475 sheets/roll] [cs/1] KC41043**

Wypall® X80 ShopPro® Shop Towels - 12.5

- WYPALL® X80, Jumbo Roll, is made using patented HYDROKNIT® Fast Absorbing Material.
- Use with any of our convenient Jumbo Roll Dispensers with each roll being equivalent to 100 pounds of rags.
- Ideal for heavy duty & part wiping, wiping metal shavings, prepping surfaces with solvents, and cleaning rough surfaces.
- Absorbs oil and water.





WEST TEXAS FIRE & INDUSTRIAL SUPPLY

138 West Concho • PO Box 3085 • San Angelo, TX 76902

(325) 655-5441 • (325) 653-4111 fax

sales@wtfex.com

Fire Extinguishers

Fire Extinguisher Service

Safety

First Aid

Spill Containment

Safety Cones

Hard Hats

Face Shields

Safety Vests

H2S Monitors

Hand Protection

Fall Protection

Eye Protection

Hearing Protection

Breathing Protection

Flame Resistant Clothing

Tyvek Coveralls

Waterproof Steel Toe Boots

Rain Suits

Signs

Lock Out Tags

Safety Flags

Safety Fencing

Wind Monitors

Rags/Wipers

Floor Sweep

Blowers

Floor Mats

Drinking Water

Hydration Drinks

Heavy Duty Coolers

Tapes

Banding

Stretch Film

Degreasers

Janitorial Supplies

Paper Products

Laundry Chemicals

